
Subject: Re: overlaying wind vectors on a map
Posted by [R.G.Stockwell](#) on Tue, 23 Mar 2010 19:03:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

"slippy133" <slippy133@yahoo.com> wrote in message
news:c2833c42-8235-44fc-9110-528cd16ccd0c@h35g2000pri.google groups.com...

> Hi,

...

> I have also used ivector, but that doesn't seem to overlay on current
> maps either.

>

> Is there a simple way to do this in IDL that I am simply unaware of?

I wrote a routine to do this. Here is the relevant snippet,

; here, i have zonal wind in "zon" and meridional wind in "mer"

```
wgood = where(finite(zon) eq 1, wgoodcount)
```

```
if wgoodcount eq 0 then return  
arrowtail_lat = zon*!values.f_nan ; same as zon but full of NANs  
arrowtail_lon = arrowtail_lat
```

```
; lon is col  
; lat is row  
; Decimate arrow points ; arrow at each point may be too much  
decimating_index = lindgen(wgoodcount/decfactor)*decfactor  
wgood = wgood(decimating_index) ; arrow at every 'n'th data point  
arrowtail_lat_index = wgood/nlon  
arrowtail_lon_index = wgood mod nlon  
arrowtail_lat(arrowtail_lon_index,arrowtail_lat_index) =  
lats(arrowtail_lat_index)  
arrowtail_lon(arrowtail_lon_index,arrowtail_lat_index)=  
lons(arrowtail_lon_index)
```

```
arrowhead_lat = arrowtail_lat + mer*mps_to_latlong_copy  
arrowhead_lon = arrowtail_lon + zon*mps_to_latlong_copy
```

```
if n_elements(mapStruct) gt 0 then begin
```

```
    resulttail =  
    MAP_PROJ_FORWARD(arrowtail_lon,arrowtail_lat,map_structure = mapstruct)  
    resulthead =  
    MAP_PROJ_FORWARD(arrowhead_lon,arrowhead_lat,map_structure = mapstruct)
```

```
arrowtail_lon = resulttail[0,*]
arrowtail_lat = resulttail[1,*]
arrowhead_lon = resulthead[0,*]
arrowhead_lat = resulthead[1,*]
```

```
; different map struct used, so conver (in uv coords here)
  wbadwrap = where( abs(arrowtail_lon - arrowhead_lon) gt
19848285L, wbadwrapcount, complement=badwrapcomp)
```

```
; remove these
arrowtail_lon = arrowtail_lon(badwrapcomp)
arrowtail_lat = arrowtail_lat(badwrapcomp)
arrowhead_lon = arrowhead_lon(badwrapcomp)
arrowhead_lat = arrowhead_lat(badwrapcomp)
```

```
for i = 0, n_elements(arrowtail_lon)-1 do begin
  arrow,arrowtail_lon(i),arrowtail_lat(i),$
  arrowhead_lon(i),arrowhead_lat(i),data=1,color=arrowcolor,hs ize=newhsize,solid=solid
endfor
endif else begin
; data in lat lon coords
```

```
arrow,arrowtail_lon(*),arrowtail_lat(*),$
  arrowhead_lon(*),arrowhead_lat(*),data=1,color=arrowcolor,hs ize=newhsize,solid=solid
endelse
```

cheers,
bob

Subject: Re: overlaying wind vectors on a map
Posted by [natha](#) on Wed, 24 Mar 2010 13:01:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Why you don't use the VELOVECT routine ?
