Subject: Re: Selecting data from two separate arrays Posted by MarioIncandenza on Mon, 21 Jun 2010 20:33:01 GMT View Forum Message <> Reply to Message

On Jun 21, 12:57 pm, Fster <francis.colle...@live.co.uk> wrote:

- > Would it be easier to combine them into one array? The issue is that
- > one array is on the x and y axis, and the other is on x, y, z axis,
- > BUT the x and y axis are the same for each of the arrays and equal
- > number of grid points...

So, you want to select points from the XY array, and the extract the corresponding data from the XYZ array, right?

There are quite a few ways to do this. Here's a simple one, not the fastest, but the simplest code-wise:

DATA2 = <XY data>
DATA3= <XYZ data>
;Get size of Z dimension
NZ=(size(DATA3))[3]
; pick points from the XY data
F2 = WHERE(DATA2 ge VALUE,NF2)
; set up an array to hold the extracted 3D data
DATA3\_EXTRACT = FLTARR(NF2,NZ)
; load the data into the array
for IZ=0I,NZ-1 do DATA3\_EXTRACT[\*,IZ]=(DATA3[\*,\*,IZ])[F2]

Subject: Re: Selecting data from two separate arrays Posted by Fster on Mon, 21 Jun 2010 20:50:56 GMT View Forum Message <> Reply to Message

```
On 21 June, 21:33, Ed Hyer <ejh...@gmail.com> wrote:

> On Jun 21, 12:57 pm, Fster <francis.colle...@live.co.uk> wrote:

> Would it be easier to combine them into one array? The issue is that
>> one array is on the x and y axis, and the other is on x, y, z axis,
>> BUT the x and y axis are the same for each of the arrays and equal
>> number of grid points...
>
> So, you want to select points from the XY array, and the extract the
> corresponding data from the XYZ array, right?
>
> There are quite a few ways to do this. Here's a simple one, not the
> fastest, but the simplest code-wise:
```

DATA2 = <XY data>DATA3= <XYZ data>

- > ;Get size of Z dimension
- > NZ=(size(DATA3))[3]
- > ; pick points from the XY data
- > F2 = WHERE(DATA2 ge VALUE,NF2)
- > ; set up an array to hold the extracted 3D data
- > DATA3\_EXTRACT = FLTARR(NF2,NZ)
- > : load the data into the array
- > for IZ=0I,NZ-1 do DATA3\_EXTRACT[\*,IZ]=(DATA3[\*,\*,IZ])[F2]

Thanks I see whats going on here, but at DATA3\_EXTRACT line, it is saying 'Array dimensions must be greater than 0.' and execution is halted at this line.

Subject: Re: Selecting data from two separate arrays Posted by MarioIncandenza on Mon, 21 Jun 2010 23:35:58 GMT View Forum Message <> Reply to Message

On Jun 21, 1:50 pm, Fster <francis.colle...@live.co.uk> wrote:

- > Thanks I see whats going on here, but at DATA3\_EXTRACT line, it is
- > saying 'Array dimensions must be greater than 0.' and execution is
- > halted at this line.
- >> DATA3\_EXTRACT = FLTARR(NF2,NZ)

This means that either NF2 or NZ equals 0. PRINT, SIZE (DATA3); are the data actually 3-dimensional? HELP,F2; are there are data with DATA2 >= VALUE?

Subject: Re: Selecting data from two separate arrays Posted by Fster on Tue, 22 Jun 2010 09:21:01 GMT View Forum Message <> Reply to Message

On 22 June, 00:35, Ed Hyer <ejh...@gmail.com> wrote:

- > On Jun 21, 1:50 pm, Fster <francis.colle...@live.co.uk> wrote:
- >> Thanks I see whats going on here, but at DATA3 EXTRACT line, it is
- >> saying 'Array dimensions must be greater than 0.' and execution is
- >> halted at this line.

>

- >>> DATA3\_EXTRACT = FLTARR(NF2,NZ)
- > This means that either NF2 or NZ equals 0.
- > PRINT, SIZE (DATA3); are the data actually 3-dimensional?
- > HELP,F2; are there are data with DATA2 >= VALUE?

Thanks that was my error all is working brilliantly! much appreciated!

## Subject: Re: Selecting data from two separate arrays Posted by Fster on Tue, 22 Jun 2010 10:20:37 GMT

View Forum Message <> Reply to Message

```
On 21 June, 21:33, Ed Hyer <ejh...@gmail.com> wrote:
> On Jun 21, 12:57 pm, Fster <francis.colle...@live.co.uk> wrote:
>> Would it be easier to combine them into one array? The issue is that
>> one array is on the x and y axis, and the other is on x, y, z axis,
>> BUT the x and y axis are the same for each of the arrays and equal
>> number of grid points...
> So, you want to select points from the XY array, and the extract the
 corresponding data from the XYZ array, right?
> There are quite a few ways to do this. Here's a simple one, not the
 fastest, but the simplest code-wise:
>
> DATA2 = <XY data>
> DATA3= <XYZ data>
> :Get size of Z dimension
> NZ=(size(DATA3))[3]
> ; pick points from the XY data
> F2 = WHERE(DATA2 ge VALUE,NF2)
> ; set up an array to hold the extracted 3D data
> DATA3 EXTRACT = FLTARR(NF2,NZ)
> ; load the data into the array
```

In IDL is last section of the last line is it indexing or multiplying?

> for IZ=0I,NZ-1 do DATA3\_EXTRACT[\*,IZ]=(DATA3[\*,\*,IZ])[F2]