On Jul 21, 8:03 am, "Deckard++;" <arthur.vi...@gmail.com> wrote: > Hi, > > I have a small question for which I haven't found a pleasant solution. > I am looking for a way to stop the execution of a procedure and return > to the level of the programme that called that procedure. Currently I > have something like this: > pro my\_pro,a,b on\_error,2 > > c = a + bif (c lt 0) then message, c < 0! Stopping...' end > It works, but the main problem is that since it is generated as an > error, it outputs all the calling stack with line numbers and so on. I > would like to do something cleaner, like for instance the "stop" > procedure which outputs only the current position in the execution. > Thanks a lot in advance, > -- Arthur; You should use the command "return" for that - it can be used in procedures too. pro test ... stuff if condition EQ true then return ... stuff end Ciao, Paolo

Page 1 of 4 ---- Generated from

Subject: Re: Stop and return to caller

Subject: Re: Stop and return to caller

View Forum Message <> Reply to Message

Posted by parigis on Wed, 21 Jul 2010 15:11:06 GMT

View Forum Message <> Reply to Message

I'm a little bit confused by your terminology. On error, do you want a procedure to stop execution (i.e. like an IDL

STOP), or do you want to return to the caller (i.e. an IDL RETURN)? You can't do both (well, you can, but it requires user interaction).

Assuming you're simply talking about error handling, this is the sort of thing I do:

```
pro my_pro, a, b, debug=debug
```

```
; Setup error handler
 if (keyword_set(debug)) then begin
  message, '--> Entered.', /informational
  msgswitch = 0
 endif else begin
  catch, error_status
  if (error_status ne 0) then begin
   catch, /cancel
   ; ...do any other procedure cleanup...
   message, !error state.msg, /informational
   return
  endif
  msgswitch = 1
 endelse
 ; Do procedure calcs
 c = a + b
 if (c It 0) then $
  message, 'c < 0!', noname=msgswitch, noprint=msgswitch
end
```

Running the above with input to create the error and without the DEBUG switch set:

```
IDL> my_pro, -2, -3
% MY_PRO: c < 0!
IDL> help
% At $MAIN$
Compiled Procedures:
$MAIN$ MY_PRO
```

Compiled Functions:

I.e. the error is handled and control returns to the caller.

Running WITH the debug switch set gives the following:

```
IDL> my_pro, -2, -3,/debug
% MY_PRO: --> Entered.
% MY_PRO: c < 0!
% Execution halted at: MY PRO
                                  20 /scratch/my_pro.pro
%
             $MAIN$
IDL> help
% At MY PRO
                   20 /scratch/my pro.pro
   $MAIN$
%
Α
         LONG
                        -2
В
         LONG
                 =
                        -3
С
         LONG
                        -5
                  =
DEBUG
            INT
                   =
                         1
ERROR STATUS
                 UNDEFINED = <Undefined>
MSGSWITCH
               INT
                           0
                      =
Compiled Procedures:
  $MAIN$ COLORS
                     MY PRO
```

Compiled Functions:

That is, the error is still handled, but execution stops where the error occurred allowing you to inspect variables to figure out what happened.

The error handling code is a lot of repetitive typing, particularly if the procedure/function is only a couple of lines.

I tend to put these error handlers in include files so they're easy to (re)use, e.g.

```
pro my_pro, a, b, debug=debug

; Setup error handler
@procedure_error_handler

; Do procedure calcs
c = a + b
if (c lt 0) then $
  message, 'c < 0!', noname=msgswitch, noprint=msgswitch</pre>
```

where all the error handling code of the previous example is now in a file called "procedure\_error\_handler.pro". There

are some nit-picky, not-so-pretty details in doing this in a generic way, but I won't go into those here other than

chant my mantra: convention over configuration.

end

```
paulv
Deckard++; wrote:
> Hi,
>
> I have a small question for which I haven't found a pleasant solution.
> I am looking for a way to stop the execution of a procedure and return
> to the level of the programme that called that procedure. Currently I
> have something like this:
>
> pro my_pro,a,b
    on_error,2
>
>
    c = a + b
>
    if (c lt 0) then message, c < 0! Stopping...'
  end
>
> It works, but the main problem is that since it is generated as an
> error, it outputs all the calling stack with line numbers and so on. I
> would like to do something cleaner, like for instance the "stop"
> procedure which outputs only the current position in the execution.
>
  Thanks a lot in advance,
>
>
   -- Arthur;
>
```

cheers,