

Jeremy Bailin writes:

- > I'm looking for advice on a plot I'm making that uses David's COLORBAR
- > routine. The problem is that the mapping between color index in the
- > image and data value is quite non-linear - and not a simple
- > transformation, either (it's generated via histogram equalization).
- >
- > There are a few ways I can imagine having it look. So first, from an
- > aesthetics (and ease-of-understanding) standpoint, which would be
- > best?
- > 1. The colorbar has one line for each color index, and is annotated
- > using 6 evenly-spaced divisions, but the numbers marking those
- > divisions are not evenly distributed.
- > 2. The colorbar has one line for each color index, the annotations
- > are evenly spaced in *value*, but are spaced unevenly along the color
- > bar.
- > 3. The colorbar is annotated using 6 evenly-spaced divisions that
- > have evenly-spaced numbers, and the colors within the color bar vary
- > (i.e. the mapping between row up the color bar and color index is no
- > longer linear).
- >
- > The second question is implementation. I can achieve #1 very easily
- > using COLORBAR. I think that in order to do #2, I would need to
- > essentially roll my own version of COLORBAR that changes the
- > annotation locations - are there any shortcuts that would let me use
- > the existing routine? To do #3, my best idea is to regenerate a new
- > (non-linearly altered) color table, and then use the existing COLORBAR
- > routine. Any caveats with that, or any easier ways to do it?
- >
- > Alternatively, what other ideas do people have for conveying this kind
- > of information?

If you are talking about six discrete colors, I would use the discrete color bar, DCBAR.

I have implemented something like number 1, equally spaced divisions, with non-linear values, using FSC_Colorbar (new name!) in this article:

http://www.dfanning.com/map_tips/precipmap.html

I had to use a tick formatting function to do it correctly.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: fun with nonlinearity and COLORBAR

Posted by [Jeremy Bailin](#) on Fri, 22 Oct 2010 02:34:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Oct 21, 3:35 pm, David Fanning <n...@dfanning.com> wrote:

> Jeremy Bailin writes:

>> I'm looking for advice on a plot I'm making that uses David's COLORBAR
>> routine. The problem is that the mapping between color index in the
>> image and data value is quite non-linear - and not a simple
>> transformation, either (it's generated via histogram equalization).

>

>> There are a few ways I can imagine having it look. So first, from an
>> aesthetics (and ease-of-understanding) standpoint, which would be
>> best?

>> 1. The colorbar has one line for each color index, and is annotated
>> using 6 evenly-spaced divisions, but the numbers marking those
>> divisions are not evenly distributed.

>> 2. The colorbar has one line for each color index, the annotations
>> are evenly spaced in *value*, but are spaced unevenly along the color
>> bar.

>> 3. The colorbar is annotated using 6 evenly-spaced divisions that
>> have evenly-spaced numbers, and the colors within the color bar vary
>> (i.e. the mapping between row up the color bar and color index is no
>> longer linear).

>

>> The second question is implementation. I can achieve #1 very easily
>> using COLORBAR. I think that in order to do #2, I would need to
>> essentially roll my own version of COLORBAR that changes the
>> annotation locations - are there any shortcuts that would let me use
>> the existing routine? To do #3, my best idea is to regenerate a new
>> (non-linearly altered) color table, and then use the existing COLORBAR
>> routine. Any caveats with that, or any easier ways to do it?

>

>> Alternatively, what other ideas do people have for conveying this kind
>> of information?

>

> If you are talking about six discrete colors, I would use

> the discrete color bar, DCBAR.
>
> I have implemented something like number 1, equally spaced
> divisions, with non-linear values, using FSC_Colorbar (new
> name!) in this article:
>
> http://www.dfanning.com/map_tips/precipmap.html
>
> I had to use a tick formatting function to do it correctly.
>
> Cheers,
>
> David
>
> --
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Coyote's Guide to IDL Programming:<http://www.dfanning.com/>
> Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Ah yes, FSC_COLORBAR. ;-) I haven't switched to 8.0 yet, so I'm still safe from that issue for now...

It's a continuous color bar (basically color table 4 with a slight modification). I've got a feeling that #3 is the aesthetically-correct thing to do. Not coincidentally, it's probably the one that requires the most work. Ah well...

-Jeremy.
