Subject: IDL 8, log plots and titles Posted by b_gom on Tue, 26 Oct 2010 19:03:20 GMT

View Forum Message <> Reply to Message

Am I missing something, or is IDL 8 fumbling logarithmic y axes and plot titles when using the new plot function?

When plotting log plots, the plot title seems to vanish, and also IDL does not seem to be able to calculate the y range properly. In the sample code below, compare the direct graphics output (which handles the range and title correctly automatically) to the new plot function output which doesn't seem to be able to figure out what I want:

x=findgen(100)/100*3*!pi y=sin(x)

;This is what I expect; yaxis handles infinite log range and title appears correctly plot,x,v,/ylog,title='Direct Graphics Yrange and Title'

;Now for the plot function output:
;title works for linear y axes
p1=plot(x,y,yrange=[0.1,1],title='Linear Y Axis
Works',window_title='Linear Y Axis Works')
;title gone for log plots
p2=plot(x,y,/ylog,yrange=[0.1,1],title='Title Error Log Y
Axis',window_title='Title Error Log Y Axis')
;if you set the yrange, the title appears, but in the wrong place
p3=plot(x,(y+2)*10,/ylog,yrange=[1,100],title='Title Error Log Y
Axis',window_title='Title Error Log Y Axis')
;if you don't set the yrange, the title is gone
p4=plot(x,(y+2)*10,/ylog,title='Title Error Log Y
Axis',window_title='Title Error Log Y Axis')

Any ideas?

Subject: Re: IDL 8, log plots and titles Posted by penteado on Wed, 27 Oct 2010 04:26:05 GMT View Forum Message <> Reply to Message

On Oct 26, 7:21 pm, b_gom <b_...@hotmail.com> wrote:

- > A related question- I assume it isn't possible to produce multiple
- > plots with the new graphics functions without manually defining the
- > layout. i.e., there is no equivalent of setting !p.multi. Is this
- > true?

No. See the posts at the end of

http://groups.google.com/group/comp.lang.idl-pvwave/browse_t hread/thread/4d0d4deb79085aa6

Subject: Re: IDL 8, log plots and titles Posted by Kenneth P. Bowman on Wed, 27 Oct 2010 13:37:59 GMT View Forum Message <> Reply to Message

In article

<94acbdd6-bedf-4e89-a45c-37b3b534c5c0@f33g2000yqh.googlegroups.com>,
b_gom <b_gom@hotmail.com> wrote:

- > A related question- I assume it isn't possible to produce multiple
- > plots with the new graphics functions without manually defining the
- > layout. i.e., there is no equivalent of setting !p.multi. Is this
- > true?

The equivalent of !P.MULTI is to use the LAYOUT and CURRENT keywords, but you do have to manage the current drawing pane manually, as David illustrated here

- > You want to use the LAYOUT keyword in conjunction with
- > the CURRENT keyword.
- > IDL> p = plot(loaddata(17), layout=[2,2,1])
- > IDL> p = plot(loaddata(17), layout=[2,2,2], /current)
- > IDL> p = plot(loaddata(17), layout=[2,2,3], /current)
- > IDL> p = plot(loaddata(17), layout=[2,2,4], /current)

Ken Bowman

Subject: Re: IDL 8, log plots and titles
Posted by David Fanning on Wed, 27 Oct 2010 14:00:29 GMT
View Forum Message <> Reply to Message

Kenneth P. Bowman writes:

- > The equivalent of !P.MULTI is to use the LAYOUT and CURRENT keywords,
- > but you do have to manage the current drawing pane manually, as David
- > illustrated here
- >
- >> You want to use the LAYOUT keyword in conjunction with
- >> the CURRENT keyword.

```
>> IDL> p = plot(loaddata(17), layout=[2,2,1])
>> IDL> p = plot(loaddata(17), layout=[2,2,2], /current)
```

>> IDL> p = plot(loaddata(17), layout=[2,2,2], /current)
>> IDL> p = plot(loaddata(17), layout=[2,2,3], /current)

>> IDL> p = plot(loaddata(17), layout=[2,2,4], /current)

Just to prove I'm not a complete Luddite, I actually think this LAYOUT keyword method is better than using !P.Multi. It is more flexible for laying out non-symmetrical plots. And the huge bonus is you don't have to learn to count backwards!

Cheers.

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.dfanning.com/
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: IDL 8, log plots and titles Posted by penteado on Wed, 27 Oct 2010 14:08:59 GMT View Forum Message <> Reply to Message

On Oct 27, 12:00 pm, David Fanning <n...@dfanning.com> wrote:

- > Just to prove I'm not a complete Luddite, I
- > actually think this LAYOUT keyword method is
- > better than using !P.Multi. It is more
- > flexible for laying out non-symmetrical plots.
- > And the huge bonus is you don't have to learn
- > to count backwards!

I agree layout is better, for those reasons, and most significantly, for not being a global variable. Everything that determines how a plot will be in Graphics is contained in them, and set through their methods. The frequent use of global variables (in particular those that are not affected by .reset) is one of the most important reasons I avoid DG.

Subject: Re: IDL 8, log plots and titles
Posted by David Fanning on Wed, 27 Oct 2010 14:14:01 GMT
View Forum Message <> Reply to Message

Paulo Penteado writes:

- > I agree layout is better, for those reasons, and most significantly,
- > for not being a global variable. Everything that determines how a plot
- > will be in Graphics is contained in them, and set through their
- > methods. The frequent use of global variables (in particular those
- > that are not affected by .reset) is one of the most important reasons
- > Lavoid DG.

Absolutely! Alright, then, graphics containment and layout are two things we will keep when we go to the simpler new, new graphics system in IDL 10. :-)

Cheers.

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: IDL 8, log plots and titles Posted by Mark Piper on Wed, 27 Oct 2010 16:50:34 GMT View Forum Message <> Reply to Message

On Oct 26, 1:03 pm, b gom <b ...@hotmail.com> wrote:

- > Am I missing something, or is IDL 8 fumbling logarithmic y axes and
- > plot titles when using the new plot function?

>

- > When plotting log plots, the plot title seems to vanish, and also IDL
- > does not seem to be able to calculate the y range properly. In the
- > sample code below, compare the direct graphics output (which handles
- > the range and title correctly automatically) to the new plot function
- > output which doesn't seem to be able to figure out what I want:

> ------

> x=findgen(100)/100*3*!pi

> y=sin(x)

>

>

- > ;This is what I expect; yaxis handles infinite log range and title
- > appears correctly
- > plot,x,y,/ylog,title='Direct Graphics Yrange and Title'

>

> ;Now for the plot function output:

- > ;title works for linear y axes
- > p1=plot(x,y,yrange=[0.1,1],title='Linear Y Axis
- > Works', window_title='Linear Y Axis Works')
- > ;title gone for log plots
- > p2=plot(x,y,/ylog,yrange=[0.1,1],title='Title Error Log Y
- > Axis', window_title='Title Error Log Y Axis')
- > ; if you set the yrange, the title appears, but in the wrong place
- > p3=plot(x,(y+2)*10,/ylog,yrange=[1,100],title='Title Error Log Y
- > Axis', window title='Title Error Log Y Axis')
- > ;if you don't set the yrange, the title is gone
- > p4=plot(x,(y+2)*10,/ylog,title='Title Error Log Y
- > Axis', window title='Title Error Log Y Axis')

> Any ideas?

This bug (along with 98 others) is fixed in IDL 8.0.1, which will be available on our website very soon.

mp

Subject: Re: IDL 8, log plots and titles Posted by b gom on Wed, 27 Oct 2010 17:29:40 GMT

View Forum Message <> Reply to Message

Good to hear that its a fixed bug. Hopefully I won't trip over the 98 others before the patch is released.

Thanks also for the muli-plot tips; I agree that the LAYOUT keyword is an improvement.