
Subject: create file that is readable only
Posted by [Truong Le](#) on Thu, 28 Oct 2010 20:05:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi All,

I need to know how I can create a new file from idl and that this new file is readable only!

Thanks

Subject: Re: create file that is readable only
Posted by [Truong Le](#) on Fri, 29 Oct 2010 14:08:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Oct 29, 4:23 am, Carsten Lechte <c...@toppoint.de> wrote:

> On 28/10/10 22:53, Truong Le wrote:

>

>> Is there anyway we can set full restriction such that NO ONE is allow
>> to modify it?

>

> If you want to prevent anyone from restoring write permissions on the
> file and then modifying it, you have to change the owner of the file
> and then give only read permission to other users. As far as I know,
> this owner change can only be done by the super user/system
> administrator. It is how all the system files are protected against
> modification by regular users. If you also want to prevent deletion of
> the file, its containing directory must also be owned by a different user.

>

> chl

How can I set that using the FILE_CHMODE command in IDL?

I have set

```
FILE_CHMOD, filename, U_WRITE=0, G_WRITE=0, O_WRITE=0
```

and I thought this should only create a readable file only. However, when I gave this file to someone to test it the person was able to modify the file without any problem. Any help is appreciated.

Thanks,

Subject: Re: create file that is readable only
Posted by [penteado](#) on Fri, 29 Oct 2010 15:16:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Oct 29, 12:08 pm, Truong Le <truong...@gmail.com> wrote:
> I have set
>
> FILE_CHMOD, filename, U_WRITE=0, G_WRITE=0,O_WRITE=0
>
> and I thought this should only create a readable file only. However,
> when I gave this file to someone to test it the person was able to
> modify the file without any problem. Any help is appreciated.

What do you mean by "gave"? If that someone is making a copy of the file, that someone will be the owner of the copy, and thus able to do anything to it. Only users that do not own a file can be prevented from altering it. If the file is set without write permission to the owner, all that means is that applications run by the owner can choose not to write to it based on the lack of permission, but this is not enforceable.

Subject: Re: create file that is readable only
Posted by [Carsten Lechte](#) on Fri, 29 Oct 2010 16:01:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 29/10/10 16:08, Truong Le wrote:
> How can I set that using the FILE_CHMODE command in IDL?

I do not think that changing the owner of a file can be done with IDL, since you need to be a privileged user to do it, and you usually do not want to be a privileged user while running IDL.

On unix, one might try SPAWN-ing a command line using sudo (like 'sudo chown newuser file') from the IDL session to temporarily get the required privileges, but I have not tried it and I am not saying that it is a good idea.

Depending on your workflows, you might want to do the file-protection stuff outside of IDL, before you package the data to the "hostile" users.

chl