

---

Subject: Re: IDL runtime and X window

Posted by [Michael Galloy](#) on Wed, 20 Jul 2011 21:59:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On 7/20/11 3:36 PM, Deckard++; wrote:

> I have created a runtime application that is intended to run some  
> simulation code on one of our lab servers. The lab only has a runtime  
> license for this server, which means that I have no way to run this  
> code from the IDL prompt. I have created my runtime application, saved  
> it in a .sav file and tested it like this:  
>  
> idl -rt=myapp.sav  
>  
> It works fine on my development machine, but when I transfer it our  
> the lab server and executes the same command, it starts IDL and then  
> opens a window with the text "IDL Virtual Machine. Distribution  
> platform to run IDL applications. Upgrade to a development license of  
> IDL." and the IDL logo, and you have to click a button called "Click  
> to continue" to actually run your code!  
>  
> The big problem here is that my code has to run for ~2 weeks, and I  
> have to run it in a detached/background process. If I launch IDL in  
> the background (followed by&) and then close the ssh connection to  
> the server, it will terminate idl because the X window link is broken:  
>  
> X connection to localhost:10.0 broken (explicit kill or server  
> shutdown).  
>  
> And if I don't forward the display over ssh, IDL will display the  
> following error and quit without executing the code:  
>  
> % Unable to connect to X Windows display: :0.0  
> % Unable to open X Windows display.  
> Is your DISPLAY environment variable set correctly?  
>  
> This is crazy because this window is totally useless and my code has  
> no need for X window display. Can you help me? Do you know how to  
> avoid having this window?

I don't believe the lab server is seeing your runtime license. When I do "idl -rt=myapp.sav", I don't get a window popping up, but if I do "idl -vm=myapp.sav" I do get a window. IDL will default to using the Virtual Machine (and it's window is the price you pay for using the VM) if you don't have a license.

Mike

--

Michael Galloy

---

Subject: Re: IDL runtime and X window  
Posted by [Haje Korth](#) on Thu, 21 Jul 2011 12:21:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Arthur,  
i have been getting around this problem with a virtual X display. You may want to check out vncserver.

Haje

On Jul 20, 5:36 pm, "Deckard++;" <[arthur.vi...@gmail.com](mailto:arthur.vi...@gmail.com)> wrote:

> Hi,  
>  
> I have created a runtime application that is intended to run some  
> simulation code on one of our lab servers. The lab only has a runtime  
> license for this server, which means that I have no way to run this  
> code from the IDL prompt. I have created my runtime application, saved  
> it in a .sav file and tested it like this:  
>  
> idl -rt=myapp.sav  
>  
> It works fine on my development machine, but when I transfer it our  
> the lab server and executes the same command, it starts IDL and then  
> opens a window with the text "IDL Virtual Machine. Distribution  
> platform to run IDL applications. Upgrade to a development license of  
> IDL." and the IDL logo, and you have to click a button called "Click  
> to continue" to actually run your code!  
>  
> The big problem here is that my code has to run for ~2 weeks, and I  
> have to run it in a detached/background process. If I launch IDL in  
> the background (followed by &) and then close the ssh connection to  
> the server, it will terminate idl because the X window link is broken:  
>  
> X connection to localhost:10.0 broken (explicit kill or server  
> shutdown).  
>  
> And if I don't forward the display over ssh, IDL will display the  
> following error and quit without executing the code:  
>  
> % Unable to connect to X Windows display: :0.0  
> % Unable to open X Windows display.  
> Is your DISPLAY environment variable set correctly?

>  
> This is crazy because this window is totally useless and my code has  
> no need for X window display. Can you help me? Do you know how to  
> avoid having this window?  
>  
> Thanks in advance,  
>  
> -- Arthur;

---

---

Subject: Re: IDL runtime and X window  
Posted by [Deckard++](#); on Thu, 21 Jul 2011 16:18:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On 20 juil, 22:59, Michael Galloy <mgal...@gmail.com> wrote:  
> On 7/20/11 3:36 PM, Deckard++; wrote:  
>  
>  
>  
>  
>  
>  
>> I have created a runtime application that is intended to run some  
>> simulation code on one of our lab servers. The lab only has a runtime  
>> license for this server, which means that I have no way to run this  
>> code from the IDL prompt. I have created my runtime application, saved  
>> it in a .sav file and tested it like this:  
>  
>> idl -rt=myapp.sav  
>  
>> It works fine on my development machine, but when I transfer it our  
>> the lab server and executes the same command, it starts IDL and then  
>> opens a window with the text "IDL Virtual Machine. Distribution  
>> platform to run IDL applications. Upgrade to a development license of  
>> IDL." and the IDL logo, and you have to click a button called "Click  
>> to continue" to actually run your code!  
>  
>> The big problem here is that my code has to run for ~2 weeks, and I  
>> have to run it in a detached/background process. If I launch IDL in  
>> the background (followed by&) and then close the ssh connection to  
>> the server, it will terminate idl because the X window link is broken:  
>  
>> X connection to localhost:10.0 broken (explicit kill or server  
>> shutdown).  
>  
>> And if I don't forward the display over ssh, IDL will display the  
>> following error and quit without executing the code:  
>  
>> % Unable to connect to X Windows display: :0.0

>> % Unable to open X Windows display.  
>> Is your DISPLAY environment variable set correctly?  
>  
>> This is crazy because this window is totally useless and my code has  
>> no need for X window display. Can you help me? Do you know how to  
>> avoid having this window?  
>  
> I don't believe the lab server is seeing your runtime license. When I do  
> "idl -rt=myapp.sav", I don't get a window popping up, but if I do "idl  
> -vm=myapp.sav" I do get a window. IDL will default to using the Virtual  
> Machine (and it's window is the price you pay for using the VM) if you  
> don't have a license.  
>  
> Mike  
> --  
> Michael Galloy [www.michaelgalloy.com](http://www.michaelgalloy.com)  
> Modern IDL, A Guide to Learning IDL: <http://modernidl.idldev.com>  
> Research Mathematician  
> Tech-X Corporation

Thank you Mike. Now that you mention it it's obviously a license problem. I will check with out sysadmin.

Cheers,

-- Arthur;

---