

---

Subject: Problem in creating Postscript of textoidl command  
Posted by [Poonam Chandra](#) on Mon, 08 Aug 2011 16:34:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi I am using "textoidl" for creating symbols in my plot axes. They look fine in the display when I see it on Coyote's window. But when I save it as a postscript file, the symbols totally goofs up. For example textoidl('\theta') will look okay in the Coyote's resizable Graphics Window but will show it as a "t" in the postscript output. Any help is appreciated.

Thanks  
Poonam

---

---

Subject: Re: Problem in creating Postscript of textoidl command  
Posted by [David Fanning](#) on Tue, 09 Aug 2011 13:24:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Poonam Chandra writes:

> Hi I am using "textoidl" for creating symbols in my plot axes. They  
> look fine in the display when I see it on  
> Coyote's window. But when I save it as a postscript file, the symbols  
> totally goofs up. For example  
> textoidl('\theta') will look okay in the Coyote's resizable Graphics  
> Window but will show it as a "t" in the postscript output. Any help is  
> appreciated.

You need to read this article:

[http://www.idlcoyote.com/cg\\_tips/kwexpressions.php](http://www.idlcoyote.com/cg_tips/kwexpressions.php)

And get a updated copy of the Coyote Library:

[http://www.idlcoyote.com/programs/zip\\_files/coyoteprograms.zip](http://www.idlcoyote.com/programs/zip_files/coyoteprograms.zip)

Cheers,

David

--

David Fanning, Ph.D.  
Fanning Software Consulting, Inc.

