Subject: INTERPOLATE

Posted by laurisilla on Wed, 06 Jun 2012 08:42:40 GMT

View Forum Message <> Reply to Message

Hi,

I've got a temporal serie, temperatures, and I've got some 0's I would like to interpolate so that the serie is as complete as posible, with no blank spaces, e.g. no ceros. Is the Interpolate function the correct one to employ in this case?? I'm having problems understanding the location array, I thought I had only to look for the 0's in my serie, for example by

index= where (data eq 0, count)

and then apply the interpolation function, I know I'm missing something but I simply don't get it.

The example that is on help contents:

```
p = FINDGEN(4,4)
PRINT, INTERPOLATE(p, [.5, 1.5, 2.5], [.5, 1.5, 2.5], /GRID)
```

and prints the 3 by 3 array:

```
2.50000 3.50000 4.50000
6.50000 7.50000 8.50000
10.5000 11.5000 12.5000
```

corresponding to the locations:

what I know is that

p[0,0] = 0.0000 or p[0,3] = 12

but what I don't get is why

p[0.5,0.5]=0.00000

or

print, p[0.9,0.9]=0.0000

Does that mean that p[0,0],p[0.5,0.5], and p[0.9,0.9] are equivalent??? How do I construct the location array?

Thank you

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive