Subject: Re: Use of /APPEND keyword

Posted by Klemen on Fri, 13 Jul 2012 12:16:49 GMT

View Forum Message <> Reply to Message

/append just apends the data to an already existing file. So if you run the code and the file doesn't exist, it will first create it but afterwards the data will allways be written in the end of this file.

If you run this code because of some reason several times and you always generate the sam output, you might delete the file first (FILE\_DELETE). Once the IDL finish its processing, you will always get the same output (although it would then make more sense to comment the ouput part of the code).

If the data are not always the same, add some identifier to the file, for instance something date/time based.

Cheers, Klemen

Subject: Re: Use of /APPEND keyword Posted by titan on Fri, 13 Jul 2012 15:04:36 GMT

View Forum Message <> Reply to Message

On Friday, July 13, 2012 2:16:49 PM UTC+2, Klemen wrote:

> /append just apends the data to an already existing file. So if you run the code and the file doesn't exist, it will first create it but afterwards the data will allways be written in the end of this file.

>

> If you run this code because of some reason several times and you always generate the sam output, you might delete the file first (FILE\_DELETE). Once the IDL finish its processing, you will always get the same output (although it would then make more sense to comment the ouput part of the code).

>

> If the data are not always the same, add some idetntifier to the file, for instance something date/time based.

>

> Cheers, Klemen

Thanks a lot for the suggestion,

I will keep it in mind. I thought it would always have written a new file deleting the old one automatically.

cheers, Titan