Subject: Re: Greek and other Symbols in Coyote Graphics Posted by David Fanning on Fri, 27 Jul 2012 23:12:38 GMT

View Forum Message <> Reply to Message

David Fanning writes:

```
> This morning it occurred to me that I can use the same
> "escape sequences" used by Function Graphics to specify
> symbols in my Coyote Graphics routines. These escape
> sequences prepend a "$\" to the symbol you want to
> call with cgSymbol, and append a closing "$".
So, here is the clunky way a cgPlot command would have to be
> constructed currently to display properly in a cgWindow
  and in an output file with a mu and angstrom symbol:
>
    cgPlot, cgDemoData(1), /Window, $
>
     XTitle='Length (' + cgSymbol('mu') + M)', $
>
     YTitle='Distance (' + cgSymbol('Angstrom') + ')', $
>
     ALT_KEYWORDS={xtitle:'Length (' + cgSymbol('mu', /PS) + M)', $
>
              ytitle: 'Distance ('+ cqSymbol('Angstrom', /PS)+')'}
>
>
  And here is the new way to do this:
>
    cgPlot, cgDemoData(1), /Window, $
>
     XTitle='Length ($\mu$M)', $
>
     YTitle='Distance ($\Angstrom$)'
>
> Quite a bit simpler, yes? :-)
```

I have now updated all the graphics routines in the Coyote Library to take advantage of this method of specifying Greek characters and other symbols.

Update your SVN code repository, or download the latest version of the library from the code repository page:

http://idl-coyote.googlecode.com/

Or, from here:

http://www.idlcoyote.com/programs/zip_files/coyoteprograms.z ip

Cheers.

David

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Subject: Re: Greek and other Symbols in Coyote Graphics Posted by ameigs on Wed, 08 Aug 2012 10:46:00 GMT View Forum Message <> Reply to Message

```
On Saturday, July 28, 2012 12:12:38 AM UTC+1, David Fanning wrote:
> David Fanning writes:
>
>
   This morning it occurred to me that I can use the same
   "escape sequences" used by Function Graphics to specify
>> symbols in my Coyote Graphics routines. These escape
>> sequences prepend a "$\" to the symbol you want to
>> call with cgSymbol, and append a closing "$".
>>
>> So, here is the clunky way a cgPlot command would have to be
>> constructed currently to display properly in a cgWindow
>> and in an output file with a mu and angstrom symbol:
>
>>
>
     cgPlot, cgDemoData(1), /Window, $
>>
>
      XTitle='Length (' + cgSymbol('mu') + M)', $
>>
      YTitle='Distance (' + cqSymbol('Angstrom') + ')', $
>>
      ALT KEYWORDS={xtitle:'Length (' + cqSymbol('mu', /PS) + M)', $
>>
>
               ytitle: 'Distance ('+ cgSymbol('Angstrom', /PS)+')'}
>>
```

>>

```
>> And here is the new way to do this:
>>
>
     cgPlot, cgDemoData(1), /Window, $
>>
       XTitle='Length ($\mu$M)', $
>>
      YTitle='Distance ($\Angstrom$)'
>>
>>
>> Quite a bit simpler, yes? :-)
>
  I have now updated all the graphics routines in the Coyote
  Library to take advantage of this method of specifying
  Greek characters and other symbols.
>
>
  Update your SVN code repository, or download the latest
  version of the library from the code repository page:
>
>
>
    http://idl-coyote.googlecode.com/
>
>
>
 Or, from here:
>
>
     http://www.idlcoyote.com/programs/zip_files/coyoteprograms.z ip
>
>
>
> Cheers,
>
> David
```

```
>
>
> David Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
> Sepore ma de ni thui. ("Perhaps thou speakest truth.")
Excellent David. Now how about subscripts and superscripts? Or is that already taken care of?
```

Andy