
Subject: Re: tlb_frame_attr in Mac

Posted by [David Fanning](#) on Thu, 16 Aug 2012 23:23:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

rryan@stsci.edu writes:

> I am developing a widget, and I wanted to make it so that the TLB cannot be resized. I saw the tlb_frame_attr keyword for widget_base and set it to what seems appropriate. But, it doesn't appear to do anything. After a bit of googling, it sounds like this is a "feature" of the Mac window system. Can anyone confirm that that TLB_FRAME_ATTR does not work for Mac?

>

> Here is my print to version:

>

>

> IDL> help,!version,/structure

> ** Structure !VERSION, 8 tags, length=104, data length=100:

> ARCH STRING 'x86_64'

> OS STRING 'darwin'

> OS_FAMILY STRING 'unix'

> OS_NAME STRING 'Mac OS X'

> RELEASE STRING '8.1'

> BUILD_DATE STRING 'Mar 9 2011'

> MEMORY_BITS INT 64

> FILE_OFFSET_BITS

> INT 64

>

> I just want to make sure I'm not doing something stupid here.

I think on X Windows systems, in general, the TLB frame attributes have always been treated as gentle "suggestions" (almost always ignored), rather than as strict commands.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")
