## Subject: Overplotting contour plot with one specific level labeled Posted by Leah Huk on Tue, 13 Nov 2012 23:24:22 GMT

View Forum Message <> Reply to Message

I'm currently plotting up some contours showing the reduced chi2 values resulting from comparing a grid of models with some actual data. I am using cgcontour and the Coyote graphics suite to do this. We are interested not only in pinpointing the lowest value, but also in looking at all values which are statistically significant. For this reason, I would like to identify those two values on the contour plot with their own labeled contour lines, so that it is obvious that the values between those contour are the ones that are significant. However, I am at a loss for how to do this. Any thoughts on how to specify a level or two only at a particular value on top of a contour plot??

Subject: Re: Overplotting contour plot with one specific level labeled Posted by David Fanning on Wed, 14 Nov 2012 05:04:11 GMT View Forum Message <> Reply to Message

## Leah Huk writes:

> No, I didn't. I have a habit of figuring things out on my own just exactly AFTER I've asked for help. I had a feeling I was over-complicating things. Thank you!

I always say you learn more in that fraction of a second after you hit the SEND button then you do the whole rest of the day. It's always been that way for me. :-)

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.dfanning.com/
Sepore ma de ni thue. ("Perhaps thou speakest truth.")