Subject: Re: What are the rules for automatic removal of singleton dimensions, and can I have a way of disabling them, please?

Posted by David Fanning on Sun, 23 Dec 2012 23:37:04 GMT

View Forum Message <> Reply to Message

Tom Grydeland writes:

> Is there a way to disable this stripping of singleton dimensions?

After 25 years? I don't think so. :-)

Cheers.

David

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: What are the rules for automatic removal of singleton dimensions, and can I have a way of disabling them, please?

Posted by Jeremy Bailin on Mon, 24 Dec 2012 04:25:56 GMT

View Forum Message <> Reply to Message

On 12/23/12 6:01 PM, Tom Grydeland wrote:

```
> Hello all,
```

> I was trying to visualize subsections of a windowing function when this bit me.

> I was creating piecewise results in an array res[ix, iy, ii, jj], where the partial results were sums up to some value in the final two indices

```
> for ii = 0, Kx-1 do begin
> for jj = 0, Ky-1 do begin
> visualize, total(total(res[*,*,0:ii,0:jj], 4), 3)
> endfor
> endfor
```

> but the problem is that IDL (arbitrarily, IMO) discards trailing singleton dimensions on my indexing, so that res[*,*,0:ii,0:jj] ends up as a two-dimensional array when both ii and jj are zero, and a three-dimensional index on subsequent cases of jj being zero, which again causes the calls to 'total' to fail. The innermost portion of these loops become extraordinarily messy if trying to fix this problem.

>

> I've fixed my program by reordering the indices (to [ii, jj, ix, iy]), but I am still miffed that this should be necessary.

>

> Similarly, when I concatenate arrays of dimensions [x, j] and [y, j], I expect a result with dimensions [x+y, j], even when j is equal to 1. I'm trying to write programs independent of the actual value of j, but these arbitrary removals of singleton dimensions make my task that much harder.

>

> Is there a way to disable this stripping of singleton dimensions?

>

> --Tom Grydeland

>

I would give my full support to having a compile_opt to do this (Chris?)... as David says, there's no way in hell that's ever going to be the default behaviour, but I would kill to not have to worry about these cases in some of my more dimension-juggling code!

-Jeremy.

Subject: Re: What are the rules for automatic removal of singleton dimensions, and can I have a way of disabling them, please?
Posted by tom.grydeland on Tue, 25 Dec 2012 23:45:44 GMT
View Forum Message <> Reply to Message

On Monday, December 24, 2012 5:25:56 AM UTC+1, Jeremy Bailin wrote:

>> I would give my full support to having a compile_opt to do this

For sure I meant a compile_opt, I understand that default behavior cannot be changed for something like this.

> -Jeremy.

--T