
Subject: Re: IDL, WIDGET_DROPLIST
Posted by [rmmoss](#) on Tue, 03 Oct 1995 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Use WIDGET_CONTROL, id, SET_DROPLIST_SELECT=n to set the item shown in a dropdown list widget. See the online help for WIDGET_CONTROL for the details.

Robert M. Moss, Ph.D.
Texaco Inc.
mossrm@texaco.com

This is not necessarily the opinion of Texaco Inc.

In article <1995Oct3.194408.1@sara.cc.utu.fi>, teittinen@sara.cc.utu.fi writes:
> Hello,
> I may be misunderstood, but seems like there is no possibility to select the
> item to be shown in the creation of WIDGET_DROPLIST object. The now obsolete
> procedure CW_BSELECTOR had a SET_VALUE-keyword with which it was possible to
> determine the item to be shown just after a creation. So, any suggestions for
> a cure?
>
> ::::::::::Matti Teittinen::::::::::SRL, Univ. of Turku, Finland
> teittinen@sara.cc.utu.fi

Subject: Re: IDL, WIDGET_DROPLIST
Posted by [knighton](#) on Tue, 03 Oct 1995 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

In <1995Oct3.194408.1@sara.cc.utu.fi> teittinen@sara.cc.utu.fi writes:

> Hello,
> I may be misunderstood, but seems like there is no possibility to select the
> item to be shown in the creation of WIDGET_DROPLIST object. The now obsolete
> procedure CW_BSELECTOR had a SET_VALUE-keyword with which it was possible to
> determine the item to be shown just after a creation. So, any suggestions for
> a cure?

Try using:

WIDGET_CONTROL, widget_id, SET_DROPLIST_SELECT=index_of_desired_value

Ken Knighton, knighton@gav.gat.com, knighton@cts.com
Fusion Division
General Atomics
San Diego, CA
