
Subject: Plot continuous line when have missing data points
Posted by [morganlsilverman](#) on Thu, 28 Feb 2013 21:34:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I'm trying to plot temperature profiles and am having a hard time because I have gaps of temperature data at certain altitudes. For example...
alt = [1833.68, NaN, 2443.28] and temp = [298.150, NaN, 291.650]. Because I'm trying to see the vertical profile I still want a solid line between these points even though there's a gap of data. I will see the gap by where the symbols are. Is there a way to do this or do I have to create a new array with continuous data points to get a line plotted? I've searched to see if anyone else has already asked this question but it seems like people want to leave gaps in the data their plotting if I'm reading the posts correctly.

Thanks for your help.
-Morgan

Subject: Re: Plot continuous line when have missing data points
Posted by [tackmeister](#) on Fri, 01 Mar 2013 15:12:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Op donderdag 28 februari 2013 22:34:49 UTC+1 schreef morganls...@gmail.com het volgende:

> Hello,
>
>
>
> I'm trying to plot temperature profiles and am having a hard time because I have gaps of
temperature data at certain altitudes. For example...
>
> alt = [1833.68, NaN, 2443.28] and temp = [298.150, NaN, 291.650]. Because I'm trying to see
the vertical profile I still want a solid line between these points even though there's a gap of data. I
will see the gap by where the symbols are. Is there a way to do this or do I have to create a new
array with continuous data points to get a line plotted? I've searched to see if anyone else has
already asked this question but it seems like people want to leave gaps in the data their plotting if
I'm reading the posts correctly.
>
>
>
> Thanks for your help.
>
> -Morgan

I think creating a new array would be the easiest way. What I would do is fit a line or other function to the data (linfit,gaussfit,mpfitfun,...) and then plot the fitted data as a line, and only plot the symbols of the original data on top of it using /overplot.
