Subject: Re: PRINTF format statement

Posted by Phillip Bitzer on Fri, 29 Mar 2013 02:20:54 GMT

View Forum Message <> Reply to Message

Well, that's exactly how I would've done it. In fact,

```
IDL> this_gmag = '12.399'
IDL> PRINT, '<dt>g Mag:</dt>'+this_gmag+'</dd>'
<dt>g Mag:</dd>'
<dt>g Mag:</dd>'
IDL> OPENW, lun, 'test.txt', /get_lun
IDL> PRINTF, lun, '<dt>g Mag:</dt>'+this_gmag+'</dd>'
IDL> FREE_LUN, lun
```

works for me. I'm guessing the text file written by IDL is correct (i.e., all one line) but the HTML is formatting the problem. But, using the example at

http://www.w3schools.com/tags/tag_dt.asp

seems to indicate this is the expected HTML output. In fact, the <dt> is for a definition list. Perhaps you want/need a different tag?

Subject: Re: PRINTF format statement Posted by Michael Galloy on Fri, 29 Mar 2013 14:33:37 GMT View Forum Message <> Reply to Message

```
On 3/28/13 8:20 pm, Phillip Bitzer wrote:

> Well, that's exactly how I would've done it. In fact,

>

IDL> this_gmag = '12.399'

> IDL> PRINT, '<dt>g Mag:</dt><dd>'+this_gmag+'</dd>'

> <dt>g Mag:</dt><dd>12.399</dd>

> IDL> OPENW, lun, 'test.txt', /get_lun

> IDL> PRINTF, lun, '<dt>g Mag:</dt><dd>'+this_gmag+'</dd>

> IDL> PRINTF, lun, '<dt>g Mag:</dt><dd>'+this_gmag+'</dd>

> IDL> PREE_LUN, lun

> works for me. I'm guessing the text file written by IDL is correct (i.e., all one line) but the HTML is formatting the problem. But, using the example at

> http://www.w3schools.com/tags/tag_dt.asp

> seems to indicate this is the expected HTML output. In fact, the <dt> is for a definition list. Perhaps you want/need a different tag?
```

By the way, I have a template class which is very handy for doing much of this type of stuff.

For example,

```
template = obj_new('MGffTemplate', 'template.tt')
template->process, { this_gmag: strtrim(12.399, 2) }, 'template.html'
obj_destroy, template
```

In the template.tt, would be:

```
<dt>g Mag:</dt><dd>[% this_gmag %]</dd>
```

In your small example above, it's not hard to use PRINTF, but if you are generating an entire HTML file, it's pretty painful. The template syntax also allows FOR loops, IF statements, etc.

Mike

Michael Galloy www.michaelgalloy.com Modern IDL: A Guide to IDL Programming (http://modernidl.idldev.com) Research Mathematician **Tech-X Corporation**