
Subject: ALL_EVENTS keyword in WIDGET_TEXT
Posted by [gfu](#) on Tue, 17 Oct 1995 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I thought that the keyword ALL_EVENTS in WIDGET_TEXT will allow me to detect all keys I pressed in the WIDGET_TEXT widget. However, in the example program, there is no event generate when I press the <upper arrow> or <down arrow> keys. Any explanation on this ?

Thanks.

Gary

```
.*****  
,  
pro text_event_EVENT, event  
  
COMMON wid, cmd, quit  
  
CASE event.id OF  
  
  quit:  BEGIN  
    WIDGET_CONTROL, event.top, /DESTROY  
    RETURN  
  END  
  
  cmd: BEGIN  
    help, event, /structure  
  END  
  
  ELSE: BEGIN  
  END  
  
ENDCASE  
  
END  
  
.*****  
,  
  
pro text_event  
  
COMMON wid, cmd, quit  
  
base = WIDGET_BASE(xoffset=50, yoffset=50, title="Test event")
```

```
base0 = WIDGET_BASE(base, /COLUMN)
base1 = WIDGET_BASE(base0, /ROW)

label1 = WIDGET_LABEL(base1, VALUE="Command :")
cmd = WIDGET_TEXT(base1, /EDIT, XS=60, /ALL_EVENTS)

quit = WIDGET_BUTTON(base0, VALUE="Quit")

WIDGET_CONTROL, /REAL, base

XMANAGER, "text_event", base, event="text_event_EVENT"

end
```
