
Subject: Parallel and Perpendicular symbols in IDL 8 New Graphics.

Posted by [Xin Tao](#) on Tue, 04 Jun 2013 06:32:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all,

I'm using IDL NG, but I don't know how to put symbols like "perpendicular" (upside down T) and "parallel" (||) in annotations. In DG, I can do it, although not in a straightforward way. Is there an easy way to add those two symbols as subscripts in NG? Thanks.

Xin

Subject: Re: Parallel and Perpendicular symbols in IDL 8 New Graphics.

Posted by [lecacheux.alain](#) on Tue, 04 Jun 2013 08:45:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Le mardi 4 juin 2013 08:32:33 UTC+2, Xin Tao a écrit :

> Dear all,

>

>

>

> I'm using IDL NG, but I don't know how to put symbols like "perpendicular" (upside down T) and "parallel" (||) in annotations. In DG, I can do it, although not in a straightforward way. Is there an easy way to add those two symbols as subscripts in NG? Thanks.

>

>

>

> Xin

You can use the "DejaVuSans" TrueType font, if you have IDL 8.2
alx.

Subject: Re: Parallel and Perpendicular symbols in IDL 8 New Graphics.

Posted by [Paul Van Delst\[1\]](#) on Tue, 04 Jun 2013 12:24:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
IDL> w=window()
```

```
IDL> p=text(0.3, 0.5, '$\bot$', font_size=20)
```

```
IDL> p=text(0.7, 0.5, '$\parallel$', font_size=20)
```

Subscripts follows the same latex format:

```
IDL> p=text(0.3, 0.2, 'Hello$_\bot$', font_size=20)
```

```
IDL> p=text(0.7, 0.2, 'there$_\parallel$', font_size=20)
```

For some reason IDL uses "\bot" rather than "\perp" for the perpendicular symbol. Huh.

cheers,

paulv

On 06/04/13 02:32, Xin Tao wrote:

> Dear all,
>
> I'm using IDL NG, but I don't know how to put symbols like
> "perpendicular" (upside down T) and "parallel" (||) in annotations.
> In DG, I can do it, although not in a straightforward way. Is there
> an easy way to add those two symbols as subscripts in NG? Thanks.
>
> Xin
>

Subject: Re: Parallel and Perpendicular symbols in IDL 8 New Graphics.

Posted by [Xin Tao](#) on Wed, 05 Jun 2013 05:17:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you very much, Paul and alx! I thought IDL 8 followed LaTeX and I kept trying \perp and \bot for those symbols.

Xin

On Tuesday, June 4, 2013 8:24:57 PM UTC+8, Paul van Delst wrote:

> IDL> w=window()
>
> IDL> p=text(0.3, 0.5,'\bot\$',font_size=20)
>
> IDL> p=text(0.7, 0.5,'\parallel\$',font_size=20)
>
>
>
> Subscripts follows the same latex format:
>
>
>
> IDL> p=text(0.3, 0.2,'Hello\$_\bot\$',font_size=20)
>
> IDL> p=text(0.7, 0.2,'there\$_\parallel\$',font_size=20)
>
>
>
> For some reason IDL uses "\bot" rather than "\perp" for the

>
> perpendicular symbol. Huh.
>
>
>
> cheers,
>
>
>
> paulv
>
>
>
> On 06/04/13 02:32, Xin Tao wrote:
>
>> Dear all,
>
>>
>
>> I'm using IDL NG, but I don't know how to put symbols like
>
>> "perpendicular" (upside down T) and "parallel" (||) in annotations.
>
>> In DG, I can do it, although not in a straightforward way. Is there
>
>> an easy way to add those two symbols as subscripts in NG? Thanks.
>
>>
>
>> Xin
>
>>

Subject: Re: Parallel and Perpendicular symbols in IDL 8 New Graphics.
Posted by [Haje Korth](#) on Thu, 18 Jul 2013 14:35:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you, Paul. The \bot I would have never guessed! Haje

On Tuesday, June 4, 2013 8:24:57 AM UTC-4, Paul van Delst wrote:

```
> IDL> w=window()  
>  
> IDL> p=text(0.3, 0.5,'$\bot$',font_size=20)  
>  
> IDL> p=text(0.7, 0.5,'$\parallel$',font_size=20)  
>  
>
```

>
> Subscripts follows the same latex format:
>
>
>
> IDL> p=text(0.3, 0.2,'Hello\$_\bot\$',font_size=20)
>
> IDL> p=text(0.7, 0.2,'there\$_\parallel\$',font_size=20)
>
>
>
> For some reason IDL uses "\bot" rather than "\perp" for the
>
> perpendicular symbol. Huh.
>
>
> cheers,
>
>
>
> paulv
>
>
>
> On 06/04/13 02:32, Xin Tao wrote:
>
>> Dear all,
>
>>
>
>> I'm using IDL NG, but I don't know how to put symbols like
>
>> "perpendicular" (upside down T) and "parallel" (||) in annotations.
>
>> In DG, I can do it, although not in a straightforward way. Is there
>
>> an easy way to add those two symbols as subscripts in NG? Thanks.
>
>>
>
>> Xin
>
>>
