
Subject: points on a plot

Posted by [fd_luni](#) on Fri, 07 Jun 2013 09:49:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all

I had compute the singular values using the SVDC command and I want to present on my graph each eigenvalue with a dot or any other symbol.

I tried something like this

```
IDL> xx = [1,2,3]
```

```
IDL> yy = [1,3,4]
```

```
IDL> plots, xx, yy, psym = 4
```

but I want to keep the line and add symbols in each singular value. Does anyone know?

With Thanks

Maria

Subject: Re: points on a plot

Posted by [Heinz Stege](#) on Fri, 07 Jun 2013 10:14:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, 7 Jun 2013 02:49:26 -0700 (PDT), fd_luni@mail.com wrote:

> Hi all

>

> I had compute the singular values using the SVDC command and I want to present on my graph each eigenvalue with a dot or any other symbol.

>

> I tried something like this

> IDL> xx = [1,2,3]

> IDL> yy = [1,3,4]

> IDL> plots, xx, yy, psym = 4

>

> but I want to keep the line and add symbols in each singular value. Does anyone know?

>

> With Thanks

> Maria

Hi Maria,

yes, it's a little bit hidden. Using negative values for psym makes a plot with symbols connected by straight lines:

```
plots, xx, yy, psym = -4
```

Cheers, Heinz
