
Subject: Help with least squares on non-linear function
Posted by [stefan.meingast](#) on Sat, 24 Aug 2013 19:14:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hey

I finally want to enjoy at least some time of the weekend, but I am stuck at one problem tonight for which I still would like to find a solution.

I have a bunch of measurements in an array y which depending basically on another variable x . I want to do a least-squares fit to a non-linear function, which would be very easy if I just wanted e.g. a polynomial fit. My problem is now that there is another parameter coming into play (here: k), so the function I want to fit in the end looks like this (though the order should be variable in the end which in this example is set to 3):

<https://dl.dropboxusercontent.com/u/16787607/formula.jpg>

where the a_i are the coefficients I want to determine.

I have been trying to figure out what the best way might be to do such a fit, but this turns out to be much more complicated than I thought...

I hope some of you may have a hint

many thanks!!!
:)

Subject: Re: Help with least squares on non-linear function
Posted by [stefan.meingast](#) on Sat, 24 Aug 2013 19:20:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ah, one more thing:

The k changes for each y so it is not constant across all measurements...

Subject: Re: Help with least squares on non-linear function
Posted by [Phillip Bitzer](#) on Sat, 24 Aug 2013 21:10:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

Is k known a priori? In other words, do you know what k is for each measurement?

Subject: Re: Help with least squares on non-linear function
Posted by [stefan.meingast](#) on Sat, 24 Aug 2013 21:32:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Am Samstag, 24. August 2013 23:10:45 UTC+2 schrieb Phillip Bitzer:

> Is k known a priori? In other words, do you know what k is for each measurement?

Yes, I know k. Actually, I just realised that k is equal to $1/X$, so this makes things a lot easier. I am currently experimnting with MPFIT where you can define any function you want to fit. This looks very promising so far.

Subject: Re: Help with least squares on non-linear function
Posted by [Phillip Bitzer](#) on Sat, 24 Aug 2013 21:53:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yep, that was the next piece of advice :-> MPFIT is highly recommended....

Subject: Re: Help with least squares on non-linear function
Posted by [Heinz Stege](#) on Sun, 25 Aug 2013 12:40:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Sat, 24 Aug 2013 14:53:39 -0700 (PDT), Phillip Bitzer wrote:

> Yep, that was the next piece of advice :-> MPFIT is highly recommended....

I would say, this is a linear function. Here is a way how to calculate the fit parameters.

Put your x, k and y values into the arrays

```
x=dblarr(npoints)
```

```
k=dblarr(npoints)
```

```
y=dblarr(npoints)
```

With npars=3, create the matrix

```
fx=dblarr(npoints,npars)
```

```
for i=1,npars do fx[0,i-1]=((1+k)^i-k^i)*x^i
```

and do the calculation

```
temp=transpose(fx)
```

```
a=temp#fx
```

```
b=temp#y
```

```
ludc,a,indx
```

```
par=lusol(a,indx,b)
```

par is an array with npars elements and should contain the fit parameters named by `a_i` within your function.

I hope, that there is no error in this code. I couldn't test it,

because I have no example values for x, k and y.

Cheers, Heinz
