Subject: Homogenity Analysis of two raster datasets with different resolution - Need some advice

Posted by Carl Bernatzki on Wed, 09 Oct 2013 02:30:22 GMT

View Forum Message <> Reply to Message

## Hello!

I am little desperate cause I have to do something difficult (for me) for my work. I know about the absolute basics in IDL but now I have to do something which I can't solve by my own and I hope I can find someone here who can give me some hints or send me some good sources/tutorial in the net cause I did not find many.

## What I have to do:

I have to make a homogenity analysis of two raster datasets. For this I have to create a graphic overview, which compares the one raster data set (coarse resolution) with the other raster dataset (lower resolution). The results of this comparison have to be presented graphically.

I have problems finding some sources to this via the internet and my IDL book isn't helping me too. But I am sure there is something to find and I ask you to forward me to this pages/tutorials/whatever :-)

I dont want you to do my work cause I really want to learn it. So ist just ask for some good sources. Every help is appreciated! :-)

Greetings Carl

Subject: Re: Homogenity Analysis of two raster datasets with different resolution - Need some advice

Posted by David Fanning on Thu, 10 Oct 2013 13:49:49 GMT

View Forum Message <> Reply to Message

## Carl Bernatzki writes:

> I am little desperate cause I have to do something difficult (for me) for my work. I know about the absolute basics in IDL but now I have to do something which I can't solve by my own and I hope I can find someone here who can give me some hints or send me some good sources/tutorial in the net cause I did not find many.

> What I have to do:

> I have to make a homogenity analysis of two raster datasets. For this I have to create a graphic overview, which compares the one raster data set (coarse resolution) with the other raster dataset (lower resolution). The results of this comparison have to be presented graphically.

> I have problems finding some sources to this via the internet and my IDL book isn't helping me

too. But I am sure there is something to find and I ask you to forward me to this pages/tutorials/whatever :-) > I dont want you to do my work cause I really want to learn it. So ist just ask for some good sources. Every help is appreciated! :-) Make your two images the same size. Then subtract them. Then display the subtracted image (after scaling it properly with BytScl and the appropriate Min and Max keywords) with a two-color diverging color table. Cheers, David David Fanning, Ph.D. Fanning Software Consulting, Inc. Coyote's Guide to IDL Programming: http://www.idlcoyote.com/ Sepore ma de ni thue. ("Perhaps thou speakest truth.") Subject: Re: Homogenity Analysis of two raster datasets with different resolution -Need some advice Posted by Carl Bernatzki on Sat, 12 Oct 2013 22:21:24 GMT View Forum Message <> Reply to Message Am Donnerstag, 10. Oktober 2013 15:49:49 UTC+2 schrieb David Fanning: > Carl Bernatzki writes: > > >> I am little desperate cause I have to do something difficult (for me) for my work. I know about the absolute basics in IDL but now I have to do something which I can't solve by my own and I hope I can find someone here who can give me some hints or send me some good sources/tutorial in the net cause I did not find many. > >> > >> What I have to do: > >>

>> I have to make a homogenity analysis of two raster datasets. For this I have to create a graphic overview, which compares the one raster data set (coarse resolution) with the other raster dataset (lower resolution). The results of this comparison have to be presented graphically.

>> >

too. Bu	ave problems finding some sources to this via the internet and my IDL book isn't helping me ut I am sure there is something to find and I ask you to forward me to this /tutorials/whatever :-)
>	,
>>	
>	
	ont want you to do my work cause I really want to learn it. So ist just ask for some good es. Every help is appreciated! :-)
>	
>	
	ce your two images the same size. Then subtract them. Then display the
> sub <sup>1</sup> >	tracted image (after scaling it properly with BytScl and the
	ropriate Min and Max keywords) with a two-color diverging color
> table	e.
>	
>	
>	
> Che	eers,
>	
>	
> _	
> Dav	rid
>	
>	
> Day	id Familia. Dh. D
_	rid Fanning, Ph.D.
> > Fan >	ning Software Consulting, Inc.
	rote's Guide to IDL Programming: http://www.idlcoyote.com/
	ore ma de ni thue. ("Perhaps thou speakest truth.")
Hello [	David,
Sound And I	you very much for your help! Is easier than it really is for me. I hope I can do it. I will try it. am still hoping I find some step by step tutorial for this in the web, in the case that I cant t by my own.
Greetii Carl	ngs

Subject: Re: Homogenity Analysis of two raster datasets with different resolution - Need some advice

Posted by David Fanning on Sun, 13 Oct 2013 00:55:25 GMT

View Forum Message <> Reply to Message

## Carl Bernatzki writes:

- > Sounds easier than it really is for me. I hope I can do it. I will try it.
- > And I am still hoping I find some step by step tutorial for this in the web, in the case that I cant solve it by my own.

Well, I don't want to sound mean, but if you can't figure out how to subtract two images in IDL, you really need something other than a programming language to work with. I'm not sure what to suggest, except maybe consider becoming a Jungian psychologist. I hear they make good money. :-)

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
Sepore ma de ni thue. ("Perhaps thou speakest truth.")