Subject: Bar plotting in IDL Posted by atmospheric physics on Wed, 22 Jan 2014 14:57:45 GMT View Forum Message <> Reply to Message

Hello,

I wanted to make a bar plot in IDL and attempted the following lines with some synthetic data:

```
PRO Bar test
```

xnos=[1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21, 22,23,24,25, \$ 26,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46, 47,48, \$ 49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68, 69,70, \$ 71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90, 91,92, \$ 93,94,95,96,97,98,99,100]

ydata=[14,2,1,0,3,10,1,0,3,4,4,5,!VALUES.F_NAN,1,13,13,8,3,3,1,1,0,0,0,\$ 0,2,2,0,2,3,1,0,1,1,0,1,2,6,2,7,5,2,3,0,6,1,1,3,3,4,0,2,5,3,5,6,\$ 10,0,9,6,7,!VALUES.F_NAN,7,!VALUES.F_NAN,!VALUES.F_NAN,\$ 7,!VALUES.F_NAN,7,13,12,9,3,2,0,0,3,4,!VALUES.F_NAN,2,2,3,\$ 5,!VALUES.F_NAN,1,3,3,!VALUES.F_NAN,1,2,5,5,4,2,2,4,4,12,\$!VALUES.F_NAN,90]

Filename='test.ps'

cgPS_Open,Filename

cgDisplay,1200,1000

xtickv=[0,5,10,15,20,25,30,35,40,45,50,55,60,65,70,75,80,85,90,95,100]

cgPlot,xnos,ydata,XTicks=20,XTickV=xtickv, \$ Position=[0.1,0.5,0.9,0.9],/NoData

cgBarPlot,ydata,BARCOORDS=xnos,XStyle=1, \$
XTitle=xtitle4,YTitle=ytitle4,Font=-1, \$
YRange=[0,100],XRange=[0,100], \$
colors=['cornflower blue'],/Overplot

cgPS_Close

cgPS2Raster,Filename,/PNG, Width=1000

END

I get the error as below:

(1) CGAXIS -> Keyword array parameter XTICKNAME must have from 1 to 60 elements.

(2) I get the figure with bars but I don't see my xnos or x-axis labels are matching with my xnos. For example, the last value of ydata is 90 and the bar for this value is shown at an xnos=94.

My understanding for using bar plot may be wrong!!! Can anyone help me resolve the issues I am facing?

Thanks in advance ...

Subject: Re: Bar plotting in IDL

Posted by Matthew Argall on Wed, 22 Jan 2014 15:30:38 GMT

View Forum Message <> Reply to Message

- > cgBarPlot,ydata,BARCOORDS=xnos,XStyle=1, \$
- > XTitle=xtitle4,YTitle=ytitle4,Font=-1,\$
- > YRange=[0,100],XRange=[0,100], \$
- > colors=['cornflower blue'],/Overplot
- > (1) CGAXIS -> Keyword array parameter XTICKNAME must have from 1 to 60 elements.

The BARCOORDS keyword is the value or name of each bar on your barplot. The bars are labelled with the XTICKNAME to cgAxis. IDL only allows up to 60 tick names while your "xnos" variable has more than 60 elements. Try picking a smaller subset of your data so that data points are binned into the bars. Otherwise each bar will have exactly 1 data point in it.

(also, try xnos = indgen(100)+1)

> (2) I get the figure with bars but I don't see my xnos or x-axis labels are matching with my xnos. For example, the last value of ydata is 90 and the bar for this value is shown at an xnos=94.

I expect that fixing the first issue will fix this one too.

Subject: Re: Bar plotting in IDL

Posted by David Fanning on Wed, 22 Jan 2014 15:33:13 GMT

View Forum Message <> Reply to Message

Madhavan Bomidi writes:

> I get the error as below:

> (1) CGAXIS -> Keyword array parameter XTICKNAME must have from 1 to 60 elements.

> (2) I get the figure with bars but I don't see my xnos or x-axis labels are matching with my xnos. For example, the last value of ydata is 90 and the bar for this value is shown at an xnos=94.

>

> My understanding for using bar plot may be wrong!!! Can anyone help me resolve the issues I am facing?

You are running into the same problem you ran into yesterday. IDL has a limitation on the number of labels it can put on an axis (60 apparently). Each bar plot uses a label in this code.

I think I would try to write something like the Error Estimate Plot in the Coyote Plot Gallery, where instead of plotting errors you plot the median value with the quadrilles on either side of it. Not sure what you should do with outliers in that case, but maybe they don't matter.

Or, I suppose you can try overplotting no more than 60 values at a time on the plot. The code is pretty clunky. It was a direct port of the IDL routine. But, it is possible to do some nice things with it.

http://www.idlcoyote.com/cg_tips/barplot.php

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: Bar plotting in IDL

Posted by atmospheric physics on Wed, 22 Jan 2014 15:46:33 GMT

View Forum Message <> Reply to Message

- > You are running into the same problem you ran into yesterday. IDL has a
- > limitation on the number of labels it can put on an axis (60
- > apparently). Each bar plot uses a label in this code.

>

- > I think I would try to write something like the Error Estimate Plot in
- > the Coyote Plot Gallery, where instead of plotting errors you plot the
- > median value with the quadrilles on either side of it. Not sure what you
- > should do with outliers in that case, but maybe they don't matter.

I have already tried this idea of plotting median values instead of mean values and quartile_25 and quartile_75 values for errorbars. I need to identify the outliers for each time-step and then flag that particular value or to say if there were more outliers from a single station data then I shall flag that station data. I have already done this and fine with my approach.

> Or, I suppose you can try overplotting no more than 60 values at a time

- > on the plot. The code is pretty clunky. It was a direct port of the IDL
- > routine. But, it is possible to do some nice things with it.

The above data is just the serial numbers of station numbers (xnos) and corresponding percent of outliers from the whole dataset of that particular station. In this case, I have 99 stations and I just wanted to visualize the bars to distinguish the station that is providing with most outlier data. Hence, I wanted to use the bar plot for more xtickvalues. I don't know how I can change this limitation in cgBarplot.pro.

Thanks for your suggestions ...

Subject: Re: Bar plotting in IDL

Posted by David Fanning on Wed, 22 Jan 2014 15:55:27 GMT

View Forum Message <> Reply to Message

Madhavan Bomidi writes:

> The above data is just the serial numbers of station numbers (xnos) and corresponding percent of outliers from the whole dataset of that particular station. In this case, I have 99 stations and I just wanted to visualize the bars to distinguish the station that is providing with most outlier data. Hence, I wanted to use the bar plot for more xtickvalues. I don't know how I can change this limitation in cgBarplot.pro.

The limitation is in IDL, not in cgBarPlot.

Cheers,

David

_-

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Covote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: Bar plotting in IDL

Posted by atmospheric physics on Wed, 22 Jan 2014 15:58:45 GMT

View Forum Message <> Reply to Message

Thanks for the info.

On Wednesday, January 22, 2014 4:55:27 PM UTC+1, David Fanning wrote:

> Madhavan Bomidi writes:

>

>

>

>> The above data is just the serial numbers of station numbers (xnos) and corresponding percent of outliers from the whole dataset of that particular station. In this case, I have 99 stations and I just wanted to visualize the bars to distinguish the station that is providing with most outlier data. Hence, I wanted to use the bar plot for more xtickvalues. I don't know how I can change this limitation in cgBarplot.pro. >

```
>
>
  The limitation is in IDL, not in cgBarPlot.
>
>
>
  Cheers,
>
>
>
>
  David
>
>
  David Fanning, Ph.D.
>
  Fanning Software Consulting, Inc.
>
  Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
>
>
> Sepore ma de ni thue. ("Perhaps thou speakest truth.")
```

Subject: Re: Bar plotting in IDL Posted by Phillip Bitzer on Wed, 22 Jan 2014 16:13:57 GMT View Forum Message <> Reply to Message

On Wednesday, January 22, 2014 9:55:27 AM UTC-6, David Fanning wrote:

- > Madhavan Bomidi writes:
- >

> >

>

- >> The above data is just the serial numbers of station numbers (xnos) and corresponding percent of outliers from the whole dataset of that particular station. In this case, I have 99 stations and I just wanted to visualize the bars to distinguish the station that is providing with most outlier data. Hence, I wanted to use the bar plot for more xtickvalues. I don't know how I can change this limitation in cgBarplot.pro.
- > The limitation is in IDL, not in cgBarPlot. >

```
Cheers,
Cheers,
David
David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
Sepore ma de ni thue. ("Perhaps thou speakest truth.")
```

And I would argue a reasonable limitation. I can't imagine plotting 99 stations -all one on plot, all labelled- would be very visually appealing.

Regardless, why force a square peg into a round hole? If you're just trying visualize, just make two plot - one for stations 1-49 and the other 50-99? Wouldn't this be the quickest and easiest solution?

```
Subject: Re: Bar plotting in IDL Posted by atmospheric physics on Thu, 23 Jan 2014 09:07:43 GMT View Forum Message <> Reply to Message
```

Thanks Philip for your intelligent suggestion.

>>> The above data is just the serial numbers of station numbers (xnos) and corresponding percent of outliers from the whole dataset of that particular station. In this case, I have 99 stations and I just wanted to visualize the bars to distinguish the station that is providing with most outlier

limitation in cgBarplot.pro. >> > >> > >> >> The limitation is in IDL, not in cgBarPlot. > >> > >> > >> >> Cheers, > >> > >> > >> >> David > >> > >> --> >> > >> David Fanning, Ph.D. > >> > >> Fanning Software Consulting, Inc. > >> > >> Coyote's Guide to IDL Programming: http://www.idlcoyote.com/ > >> >> Sepore ma de ni thue. ("Perhaps thou speakest truth.") >

data. Hence, I wanted to use the bar plot for more xtickvalues. I don't know how I can change this

>
>
>
> And I would argue a reasonable limitation. I can't imagine plotting 99 stations -all one on plot, all labelled- would be very visually appealing.
>
>
>
> Regardless, why force a square peg into a round hole? If you're just trying visualize, just make two plot - one for stations 1-49 and the other 50-99? Wouldn't this be the quickest and easiest solution?