Subject: Coyote Library Updates Posted by David Fanning on Tue, 28 Jan 2014 04:37:40 GMT View Forum Message <> Reply to Message

Folks,

There have been a number of changes to the Coyote Library over the past week. This is sort of an on-going process now. As I use a program that I think belongs in the "formal" Coyote Library I update its documentation and sometimes give it the name I wish I had given it way back in 2006 or whenever it was that the program was first created. No particular reason for a lot of activity this week, but here you go:

WhoAmI -> cgWhoAmI
WhoCalledMe -> cgWhoCalledMe
ProgramRootDir -> cgSourceDir
Find_Resource_File -> cgFindPathTo
fscCleanup7 -> cgCleanup

fscCleanup8 -> cgCleanup BitGet -> cgBitGet

As a result of these changes, there were about a dozen files in the Coyote and Catalyst Libraries that had to be updated.

Incidentally, as I was converting Find_Resource_File I found a major bug that was slowing the program down a great deal. I fixed that both in the retired program and in the new cgFindPathTo program.

The easiest way to keep updated, of course, is to use the SVN repositories at idl-coyote.googlecode.com. But, these files are also available on my web page:

http://www.idlcoyote.com/programs/zip_files/coyoteprograms.z ip http://www.idlcoyote.com/programs/zip_files/catalyst.zip http://www.idlcoyote.com/programs/zip_files/retiredcoyotelib rary.zip

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: Coyote Library Updates

View Forum Message <> Reply to Message

Hello,

On 01/27/14 23:37, David Fanning wrote:

- > The easiest way to keep updated, of course, is to use the SVN
- > repositories at idl-coyote.googlecode.com.

So what's the tag URL for this update?

The latest one I see ("coyote_library_5.0") doesn't contain the new files you mentioned (but still contains the old ones), e.g.

\$ svn list http://.../svn/tags/coyote/coyote_library_5.0/whoami.pro whoami.pro

\$ svn list http://.../svn/tags/coyote/coyote_library_5.0/cgwhoami.pro svn: URL

' http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_5.0/cgwhoami.pro' non-existent in that revision

Just so's you know, I export your libraries into our repository here. I can't use an svn-external because then no-one can check out your libraries on any machines behind the various and sundry firewalls.

cheers,

paulv

p.s. For other readers, Coyote library maintenance donations can be made to:

http://www.idlcoyote.com/coyotestore/index.php?main_page=product info&cPath=67&products id=186

'cause, you know, we need to keep the ball rolling here.... :o)

p.p.s. Gotta say it: Any endorsement on my part does not reflect any endorsement by either NOAA or my employer.

Subject: Re: Coyote Library Updates
Posted by David Fanning on Tue, 28 Jan 2014 16:53:29 GMT
View Forum Message <> Reply to Message

Paul van Delst writes:

> On 01/27/14 23:37, David Fanning wrote: >> The easiest way to keep updated, of course, is to use the SVN >> repositories at idl-coyote.googlecode.com. > So what's the tag URL for this update? > The latest one I see ("coyote_library_5.0") doesn't contain the new > files you mentioned (but still contains the old ones), e.g. > \$ svn list http://.../svn/tags/coyote/coyote_library_5.0/whoami.pro > whoami.pro > \$ svn list http://.../svn/tags/coyote/coyote_library_5.0/cgwhoami.pro > svn: URL > 'http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_5.0/cgwhoami.pro' > non-existent in that revision > Just so's you know, I export your libraries into our repository here. I > can't use an syn-external because then no-one can check out your > libraries on any machines behind the various and sundry firewalls. Well, I apologize, I just learned Coyote hasn't been keeping up with the tagging. I've docked his pay. We'll see if he does better now. The latest tagged version (just this minute) is here: http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0 > p.s. For other readers, Coyote library maintenance donations can be made to: http://www.idlcoyote.com/coyotestore/index.php?main_page=pro duct_info&cPath=67&products_id=186 > 'cause, you know, we need to keep the ball rolling here.... :o) Indeed. And I'll personally make sure none of this ends up in Coyote's "licker" budget. :-(Cheers, David David Fanning, Ph.D. Fanning Software Consulting, Inc. Coyote's Guide to IDL Programming: http://www.idlcoyote.com/ Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: Coyote Library Updates Posted by Helder Marchetto on Tue, 28 Jan 2014 19:34:19 GMT View Forum Message <> Reply to Message

On Tuesday, January 28, 2014 5:53:29 PM UTC+1, David Fanning wrote: > Paul van Delst writes: > > >> On 01/27/14 23:37, David Fanning wrote: >>> The easiest way to keep updated, of course, is to use the SVN > >>> repositories at idl-coyote.googlecode.com. >> >> So what's the tag URL for this update? > >> > >> The latest one I see ("coyote_library_5.0") doesn't contain the new >> files you mentioned (but still contains the old ones), e.g. >> > >> \$ svn list http://.../svn/tags/coyote/coyote_library_5.0/whoami.pro >> whoami.pro >> > >> \$ svn list http://.../svn/tags/coyote/coyote_library_5.0/cgwhoami.pro >> svn: URL ' http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_5.0/cgwhoami.pro' >> non-existent in that revision >> > >> Just so's you know, I export your libraries into our repository here. I >> can't use an svn-external because then no-one can check out your >> libraries on any machines behind the various and sundry firewalls.

```
>
>
> Well, I apologize, I just learned Coyote hasn't been keeping up with the
  tagging. I've docked his pay. We'll see if he does better now. The
>
  latest tagged version (just this minute) is here:
>
>
>
>
     http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0
>
>
>
>> p.s. For other readers, Coyote library maintenance donations can be
> made to:
>>
>> http://www.idlcoyote.com/coyotestore/index.php?main_page=pro
duct info&cPath=67&products id=186
>>
>> 'cause, you know, we need to keep the ball rolling here.... :o)
  Indeed. And I'll personally make sure none of this ends up in Coyote's
  "licker" budget. :-(
>
>
> Cheers,
>
 David
>
> David Fanning, Ph.D.
  Fanning Software Consulting, Inc.
>
> Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
```

>

> Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Hi,

given the fact that I have no idea what is happening when I daily execute my svn checkout, it seems like I was using a different command and things where working. So, I'm using:

svn checkout http://idl-coyote.googlecode.com/svn/trunk/coyote E:\Where_I_Put_My_Stuff_On_My_PC

Now the question is: Should I use the address:

http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0

or

http://idl-coyote.googlecode.com/svn/trunk/coyote

I have implemented this operation in my task scheduler not to forget checking for updates.

Thanks, Helder

Subject: Re: Coyote Library Updates
Posted by David Fanning on Tue, 28 Jan 2014 20:18:48 GMT
View Forum Message <> Reply to Message

Helder writes:

- > given the fact that I have no idea what is happening when I daily execute my svn checkout, it seems like I was using a different command and things where working. So, I'm using:
- > svn checkout http://idl-coyote.googlecode.com/svn/trunk/coyote E:\Where_I_Put_My_Stuff_On_My_PC

>

- > Now the question is: Should I use the address:
- > http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0
- > or
- > http://idl-coyote.googlecode.com/svn/trunk/coyote

>

> I have implemented this operation in my task scheduler not to forget checking for updates.

No, you are doing things exactly right. :-)

You start your day the way I do. (Of course, we have good and bad days, but hopefully more good than bad.) Paul wants a "stable" release. I'm never sure exactly what that means, because I update these files frequently (at least once a week and sometimes several times a day). But, if a few days to go by and I haven't made any changes and Coyote remembers to remind me, I make a tagged release.

I do try very hard to have the main repository in good shape at the end of every day. I'm not perfect, but my score is pretty high.

I know it annoys people to have a lot of these files "retired". But, it is a lot of work to get all the documentation changed over to the IDLDOC style that I can have on my web page. I do it a little at a time now, and only when I find I am using a particular program. Name space is getting crowded, and I would like to have all my programs with the "cg" prefix. Eventually, I might get there. When I do make a change, I make sure all my Library files reflect the change and all the articles on my web page reflect the change. This is a BIG job, which is another reason I'm not anxious to do it often. Even a simple change to a routine that is not used much takes an hour or so to effect. Most changes take most of an afternoon. Mistakes can be made. I typically wait a couple of days to make a tagged release after a major upset. I've learned the hard way to test documentation headers before I commit the files. :-)

Cheers.

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Subject: Re: Coyote Library Updates

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

```
Posted by Helder Marchetto on Tue, 28 Jan 2014 21:17:03 GMT

View Forum Message <> Reply to Message

On Tuesday, January 28, 2014 9:18:48 PM UTC+1, David Fanning wrote:

> Helder writes:
>
```

>> given the fact that I have no idea what is happening when I daily execute my svn checkout, it seems like I was using a different command and things where working. So, I'm using:

>> Now the question is: Should I use the address:

```
>
    http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0
>>
>> or
>> http://idl-coyote.googlecode.com/svn/trunk/coyote
>>
>> I have implemented this operation in my task scheduler not to forget checking for updates.
>
>
>
  No, you are doing things exactly right. :-)
>
  You start your day the way I do. (Of course, we have good and bad days,
  but hopefully more good than bad.) Paul wants a "stable" release. I'm
  never sure exactly what that means, because I update these files
>
  frequently (at least once a week and sometimes several times a day).
 But, if a few days to go by and I haven't made any changes and Coyote
>
  remembers to remind me, I make a tagged release.
>
>
>
  I do try very hard to have the main repository in good shape at the end
  of every day. I'm not perfect, but my score is pretty high.
>
>
>
  I know it annoys people to have a lot of these files "retired". But, it
  is a lot of work to get all the documentation changed over to the IDLDOC
>
  style that I can have on my web page. I do it a little at a time now,
>
> and only when I find I am using a particular program. Name space is
  getting crowded, and I would like to have all my programs with the "cg"
>
> prefix. Eventually, I might get there. When I do make a change, I make
```

```
>
> sure all my Library files reflect the change and all the articles on my
 web page reflect the change. This is a BIG job, which is another reason
>
  I'm not anxious to do it often. Even a simple change to a routine that
>
 is not used much takes an hour or so to effect. Most changes take most
>
>
  of an afternoon. Mistakes can be made. I typically wait a couple of days
>
>
  to make a tagged release after a major upset. I've learned the hard way
>
 to test documentation headers before I commit the files. :-)
>
>
>
 Cheers,
>
>
 David
>
>
>
>
  David Fanning, Ph.D.
>
  Fanning Software Consulting, Inc.
>
  Coyote's Guide to IDL Programming: http://www.idlcoyote.com/
> Sepore ma de ni thue. ("Perhaps thou speakest truth.")
```

Hi David,

thank for your effort. I hope you understand that I wasn't criticizing, rather unsure if I was getting things right. I'm a lone programmer that uses the word "fork" only at lunch time and subversions in my world are mostly subdirectories. That's so much for my ignorance.

I'm grateful that I can use your library and have no problems updating my software to the "cg" changes. It takes me for sure less than it does for you (not because of efficiency, but because of the total nr of lines and dependencies) and if you compare that time to the time I save by using you library... well... then the ratio "cg-update"-to-"cg-gain" is a very very small one and I'm happy to invest time in "cg-updates".

Thanks.

Helder

Subject: Re: Coyote Library Updates

Hello,

```
On 01/28/14 15:18, David Fanning wrote:
> Helder writes:
>> given the fact that I have no idea what is happening when I daily
>> execute my svn checkout, it seems like I was using a different command
>> and things where working. So, I'm using:
>> svn checkout http://idl-coyote.googlecode.com/svn/trunk/coyote
E:\Where_I_Put_My_Stuff_On_My_PC
>> Now the guestion is: Should I use the address:
   http://idl-coyote.googlecode.com/svn/tags/coyote/coyote_libr ary_6.0
>> http://idl-covote.googlecode.com/svn/trunk/covote
>>
>> I have implemented this operation in my task scheduler not to forget checking for updates.
>
 No, you are doing things exactly right. :-)
> You start your day the way I do. (Of course, we have good and bad days,
> but hopefully more good than bad.) Paul wants a "stable" release. I'm
```

I want something that I can tell other people about. E.g. "before you can use this software I gave you, you need to install vX.Y.Z of the coyote library. Here's the URL..."

never sure exactly what that means, because I update these filesfrequently (at least once a week and sometimes several times a day).

The tag specifies that release snapshot. It specifies it today. And it specifies it a year from now. However, the trunk, sans a specific, non-people-friendly revision number, is whatever the latest version that has been committed (which may or may not work right. You're very good, David, but, as you say, not poifect :o)

- > But, if a few days to go by and I haven't made any changes and Coyote
- > remembers to remind me, I make a tagged release.
- > I do try very hard to have the main repository in good shape at the end
- > of every day. I'm not perfect, but my score is pretty high.
- > I know it annoys people to have a lot of these files "retired". But, it
- > is a lot of work to get all the documentation changed over to the IDLDOC
- > style that I can have on my web page. I do it a little at a time now,
- > and only when I find I am using a particular program. Name space is

- > getting crowded, and I would like to have all my programs with the "cg"
- > prefix. Eventually, I might get there. When I do make a change, I make
- > sure all my Library files reflect the change and all the articles on my
- > web page reflect the change. This is a BIG job, which is another reason
- > I'm not anxious to do it often. Even a simple change to a routine that
- > is not used much takes an hour or so to effect. Most changes take most
- > of an afternoon. Mistakes can be made. I typically wait a couple of days
- > to make a tagged release after a major upset. I've learned the hard way
- > to test documentation headers before I commit the files. :-)

lt's har	d work	maintai	ning so	ftware.	"Eight	is a lot	of legs,	David"
ha ha.								
cheers								

Subject: Re: Coyote Library Updates
Posted by David Fanning on Thu, 30 Jan 2014 20:41:15 GMT
View Forum Message <> Reply to Message

Paul van Delst writes:

paulv

> It's hard work maintaining software. "Eight is a lot of legs, David"

I had to have my go-to guy, Dick Jackson, figure this out for me! I never would have understood it on my own, mostly because after all these years I still have to call the kids to come over and get the DVD going for me. (Too many friggin' remotes!) I guess maybe I watch one movie a year. I *have*, however, seen this movie, but I didn't remember the line. :-(

I'm not a total nerd, though. I'm pretty sure I have all the dialog in the Princess Bride and Butch Cassidy and the Sundance Kid committed to memory. "You idiot, the *fall* is going to kill you!" ;-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")