
Subject: Instances of structure array with varying no. of elements

Posted by [midhunjoyp](#) on Tue, 28 Jan 2014 15:47:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all,

I have an array of structure arrays of the following simplified form :

```
results = REPLICATE({domain:REPLICATE({frame :fltarr(1), particles : fltarr(5,6000)}, 10)} , 500)
```

ie, 'domain' is initialized as a struct array with 10 elements(instances),
'results' is initialized as an array of 'domain' arrays with 500 instances

However during calculations, I would like to change the number of instances of 'domain' array in each instance of the 'results' array

eg: results[0] should contain only 5 instances of 'domain' array
results[1] should contain 7 instances of 'domain' array etc...

I tried doing the following for it :

```
results[0].domain = results[0].domain[0:4]
```

But, with:

```
print, n_elements(results[0].domain) : Returns value 10, which indicates that the size remains unchanged.
```

Is there any method for doing this operation ?

Best,
Midhun

Subject: Re: Instances of structure array with varying no. of elements

Posted by [Matthew Argall](#) on Tue, 28 Jan 2014 16:10:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

> I tried doing the following for it :

>

> results[0].domain = results[0].domain[0:4]

Structures tags have fixed sizes and types. Since results[0].domain is part of a structure and starts as a 10-element array, it will always be a 10.

The best way to do this is to put your "domain" structures into a list. Lists are dynamic and can change sizes/types. They have a weird way of indexing, though. The following example shows you how to put your structure into a list, then change element 0 of the list to have only 5 instances of "domain".

```
IDL> temp_results = REPLICATE({domain:REPLICATE({frame :fltarr(1), particles : fltarr(5,6000)},
10)}, 500)
IDL> results = list(temporary(temp_results), /extract)
IDL> iKeep = [0,1,2,3,4]
IDL> results[0] = results[0,iKeep]
IDL> help, results[0]
<Expression>   STRUCT   = -> <Anonymous> Array[5]
```

This is a bit slow, so if you can put your domains directly into the list instead of extracting them, you will be better off.

Subject: Re: Instances of structure array with varying no. of elements
Posted by [David Fanning](#) on Tue, 28 Jan 2014 16:15:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

midhunjoyp@gmail.com writes:

> Is there any method for doing this operation ?

An "array" in IDL contains identical things in each element. You might be looking for a "list", which often acts like an array, but which can contain a different kind of thing in each element.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: Instances of structure array with varying no. of elements
Posted by [midhunjoyp](#) on Tue, 28 Jan 2014 16:53:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tuesday, January 28, 2014 10:47:40 AM UTC-5, midhu...@gmail.com wrote:

> Hi all,

>

>

>

> I have an array of structure arrays of the following simplified form :

>

>

```

>
> results = REPLICATE({domain:REPLICATE({frame :fltarr(1), particles : fltarr(5,6000)}, 10)} ,
500)
>
>
>
> ie, 'domain' is initialized as a struct array with 10 elements(instances),
>
> 'results' is initialized as an array of 'domain' arrays with 500 instances
>
>
>
> However during calculations, I would like to change the number of instances of 'domain' array in
each instance of the 'results' array
>
>
>
> eg: results[0] should contain only 5 instances of 'domain' array
>
> results[1] should contain 7 instances of 'domain' array etc...
>
>
>
> I tried doing the following for it :
>
> results[0].domain = results[0].domain[0:4]
>
>
>
> But, with:
>
> print, n_elements(results[0].domain) : Returns value 10, which indicates that the size remains
unchanged.
>
>
>
> Is there any method for doing this operation ?
>
>
>
>
> Best,
>
> Midhun

```

Hi Matthew & David,

I had completely forgotten the concept of lists.
Thanks a lot for the help.

Best,
Midhun
