
Subject: solve cubic polynomial for dummies?

Posted by [mga1](#) on Wed, 23 Apr 2014 21:26:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all

I have a cubic polynomial:

'-1.9441*x^3+2.8777*x^2-2.2023*x+1'

and a series of y values:

Y = [0.556076778, 0.459954297, 0.404784134, 0.540789788, 0.7493244, 0.814803237, 1, 0.296016879, 0.434675619, 0.612691897]

How would I solve this for x in each case?

Cheers,

Mat

Subject: Re: solve cubic polynomial for dummies?

Posted by [wlandsman](#) on Wed, 23 Apr 2014 23:39:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

You could use the exact formula for a cubic (e.g.

<http://idlastro.gsfc.nasa.gov/ftp/contrib/freudenreich/cuberoot.pro>) but it is probably easier to use the general root finder FZ_ROOTS in a little program like cube solve.pro below

```
coeff = [-1.94410 , 2.87770 , -2.02300 , 1.00000 ]
```

```
Y = [0.556076778, 0.459954297, 0.404784134, 0.540789788, 0.7493244, 0.814803237, 1, 0.296016879, 0.434675619, 0.612691897]
```

```
pro cubesolve,coeff,y
```

```
foreach val,y do begin
```

```
  c = coeff
```

```
  c[0] = coeff[0]-val
```

```
  roots = fz_roots(c,/double)
```

```
  print,roots
```

```
endforeach
```

```
return
```

```
end
```

There are 3 roots to a cubic but likely you are only interested in the real root.

On Wednesday, April 23, 2014 5:26:50 PM UTC-4, mg...@students.waikato.ac.nz wrote:

> Hi all

>
>
>
> I have a cubic polynomial:
>
>
>
> '-1.9441*x^3+2.8777*x^2-2.2023*x+1'
>
>
>
> and a series of y values:
>
>
>
> Y = [0.556076778, 0.459954297, 0.404784134, 0.540789788, 0.7493244, 0.814803237, 1,
0.296016879, 0.434675619, 0.612691897]
>
>
>
> How would I solve this for x in each case?
>
>
>
> Cheers,
>
>
>
> Mat

Subject: Re: solve cubic polynomial for dummies?
Posted by [mga1](#) on Thu, 24 Apr 2014 20:30:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Fantastic thanks. Final code used posted below. Ended up using cuberoot but fz_roots worked also:

```
pro cubesolve,coeff,y
```

```
coeff = [1.00000, -2.02300, 2.87770, -1.94410]
```

```
Y = [0, 0.95]
```

```
N_values=n_elements(y)
```

```
for i=0, N_values-1 do begin
```

```
    val=y[i]
;   c = coeff
;   c[0] = coeff[0]-val
;   roots = fz_roots(c,/double)
;   print,roots

    x = CUBEROOT([1.00000-val, -2.02300, 2.87770, -1.94410])

    print, x

endfor

end
```
