
Subject: Implied print and namespace

Posted by [Fabzi](#) on Tue, 10 Jun 2014 09:10:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi everyone,

this is probably not new to the IDL team, but implied print does not work all the time:

```
IDL> image = 1.  
IDL> image  
% Compiled module: IMAGE.  
% Attempt to call undefined procedure/function: 'IMAGE'.  
% Execution halted at: $MAIN$
```

Ok, never call your variable like an IDL function. But what about "t"?

```
IDL> t = 1.  
IDL> print, t  
      1.00000  
IDL> t  
% Restored file: T.  
% Attempt to call undefined procedure/function: 'T'.  
% Execution halted at: $MAIN$
```

Uh?

Cheers,

Fabien

Subject: Re: Implied print and namespace

Posted by [chris_torrence@NOSPAM](#) on Tue, 10 Jun 2014 13:40:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tuesday, June 10, 2014 3:10:00 AM UTC-6, Fabien wrote:

```
> Hi everyone,  
>  
>  
>  
> this is probably not new to the IDL team, but implied print does not  
>  
> work all the time:  
>  
>  
>  
> IDL> image = 1.
```

```
>
> IDL> image
>
> % Compiled module: IMAGE.
>
> % Attempt to call undefined procedure/function: 'IMAGE'.
>
> % Execution halted at: $MAIN$
>
>
>
> Ok, never call your variable like an IDL function. But what about "t"?
>
>
>
> IDL> t = 1.
>
> IDL> print, t
>
>      1.00000
>
> IDL> t
>
> % Restored file: T.
>
> % Attempt to call undefined procedure/function: 'T'.
>
> % Execution halted at: $MAIN$
>
>
>
> Uh?
>
>
>
> Cheers,
>
>
> Fabien
```

Hi Fabien,

Well, there must be a "t.sav" somewhere on your IDL path. Try file_which (with implied print):
IDL> file_which('t.sav')

Anyway, IDL will never do implied print if the variable name matches a current routine name - otherwise we would have broken backwards compatibility, which would be very bad.

There are also a few other cases where implied print will not work. The main one is nested structures. For example:

```
IDL> a = {b:{c:5}}
IDL> ; the following works fine
IDL> a.b
{
  "C": 5
}
IDL> ; this will throw an error
IDL> a.b.c
% Object reference type required in this context: <STRUCT  Array[1]>.
% Execution halted at: $MAIN$
```

This is because IDL cannot determine (at compile time) whether "a.b.c" is a structure dereference or a method call. It would be possible to do this at run time, but that might slow down the interpreter, and didn't seem worth the effort.

Hope this helps!

Cheers,
Chris
ExelisVIS

Subject: Re: Implied print and namespace
Posted by [Fabzi](#) on Tue, 10 Jun 2014 13:58:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Chris,

thanks for the hint: there was indeed a t.sav in my home directory.

I really like implied print! These drawbacks are not too painful, you are right.

Fabien
