
Subject: get_lun & free_lun

Posted by [markb77](#) on Tue, 19 Aug 2014 12:02:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

I just noticed that get_lun and free_lun are limited to unit numbers 100-128. That means an IDL application could have access to (at maximum) 29 files simultaneously.

Is there any way around this, other than hard-coding logical unit numbers into your code?

thanks

Mark

Subject: Re: get_lun & free_lun

Posted by [Russell Ryan](#) on Tue, 19 Aug 2014 15:32:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Not that I am aware of. Also, the problem is more sinister... You *ONLY* have access to 29 files, period. You can't open any LUN larger than 128, try it:

```
openw,150,'tmp.tmp'
```

At least, that gives me an error...

Russell

```
IDL> help,!version
```

```
** Structure !VERSION, 8 tags, length=104, data length=100:
```

```
ARCH      STRING  'x86_64'
OS         STRING  'darwin'
OS_FAMILY  STRING  'unix'
OS_NAME    STRING  'Mac OS X'
RELEASE    STRING  '8.2.3'
BUILD_DATE STRING  'May 2 2013'
MEMORY_BITS INT     64
FILE_OFFSET_BITS
            INT     64
```

|

Subject: Re: get_lun & free_lun

Posted by [Yngvar Larsen](#) on Tue, 19 Aug 2014 16:13:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tuesday, 19 August 2014 14:02:05 UTC+2, superchromix wrote:

> I just noticed that get_lun and free_lun are limited to unit numbers 100-128. That means an IDL application could have access to (at maximum) 29 files simultaneously.

>
>
>
> Is there any way around this, other than hard-coding logical unit numbers into your code?

1) Use `idl_idlbridge`. The new `idl` "child processes" get their own separate set of LUNs (but possibly limited by your OS: see eg "`ulimit -n`" and "`sysctl -n kernel.maxfiles`" on a linux system)

or

2) Close your files as soon as possible after you finish reading/writing what you need. (In what scenario do you need to keep more than 29 files open at the same time?)

--
Yngvar

Subject: Re: `get_lun` & `free_lun`
Posted by [markb77](#) on Tue, 19 Aug 2014 17:24:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tuesday, August 19, 2014 6:13:17 PM UTC+2, Yngvar Larsen wrote:

> On Tuesday, 19 August 2014 14:02:05 UTC+2, superchromix wrote:
>
>> I just noticed that `get_lun` and `free_lun` are limited to unit numbers 100-128. That means an IDL application could have access to (at maximum) 29 files simultaneously.
>
>>
>
>>
>
>>
>
>> Is there any way around this, other than hard-coding logical unit numbers into your code?
>
>
>
>
>
> 1) Use `idl_idlbridge`. The new `idl` "child processes" get their own separate set of LUNs (but possibly limited by your OS: see eg "`ulimit -n`" and "`sysctl -n kernel.maxfiles`" on a linux system)
>
>
>
> or
>
>

>
> 2) Close your files as soon as possible after you finish reading/writing what you need. (In what scenario do you need to keep more than 29 files open at the same time?)
>
>
>
> --
>
> Yngvar

Thanks for the tip about the IDL_IDLBridge - I'm glad that's the case. I was thinking of a scenario where 5 instances of an application are running simultaneously.. it wouldn't be unreasonable for each of those applications to have 5 files open...

Mark
