Subject: PostScript Encapsulation Knowledge Posted by David Fanning on Sat, 08 Nov 2014 17:46:09 GMT

View Forum Message <> Reply to Message

Folks.

I've run into an interesting little problem. I have reason to want to know if the current PostScript device configuration is set up to make encapsulated PostScript output or not.

I wrote a function that takes the output of the Help, /Device command and parses the information contained in that output to discover the "mode" of encapsulation. Here is the relevant line of output:

Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Enabled

The problem is, in IDL 8.3.2 on Windows the encapsulation mode never changes!

IDL> Set Plot, 'PS' IDL> Device, /Encapsulated

IDL> Help, /Device

Available Graphics Devices: CGM HP METAFILE NULL PCL PRINTER PS WIN Z

Current graphics device: PS File: C:\IDL\tester.eps

Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Enabled

I've confirmed the PostScript device *creates* an encapsulated PostScript file when I configure the device like this. It just never tells me it is doing so.

Is this the case in other versions of IDL, too?

Cheers.

David

David Fanning, Ph.D. Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Subject: Re: PostScript Encapsulation Knowledge Posted by Matthew Argall on Sun, 09 Nov 2014 21:58:54 GMT

I have IDL 8.2 and get the same results

IDL> set_plot, 'ps'
IDL> device, /encapsulated
IDL> help, /device

Available Graphics Devices: CGM HP LJ NULL PCL PRINTER PS REGIS TEK X Z

Current graphics device: PS

File: <none>

Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Disabled

Subject: Re: PostScript Encapsulation Knowledge Posted by Lajos Foldy on Sun, 09 Nov 2014 22:56:42 GMT View Forum Message <> Reply to Message

On Saturday, November 8, 2014 6:46:10 PM UTC+1, David Fanning wrote:

> Folks.

>

- > I've run into an interesting little problem. I have reason to want to
- > know if the current PostScript device configuration is set up to make
- > encapsulated PostScript output or not.

>

- > I wrote a function that takes the output of the Help, /Device command
- > and parses the information contained in that output to discover the
- > "mode" of encapsulation. Here is the relevant line of output:

>

> Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Enabled

- > The problem is, in IDL 8.3.2 on Windows the encapsulation mode never
- > changes!

>

- > IDL> Set_Plot, 'PS'
- > IDL> Device, /Encapsulated
- > IDL> Help, /Device

>

- > Available Graphics Devices: CGM HP METAFILE NULL PCL PRINTER PS WIN Z
- > Current graphics device: PS
- > File: C:\IDL\tester.eps
- > Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Enabled

>

- > I've confirmed the PostScript device *creates* an encapsulated
- > PostScript file when I configure the device like this. It just never
- > tells me it is doing so.

>

> Is this the case in other versions of IDL, too?

> Cheers, > David > --> David Fanning, Ph.D. > Fanning Software Consulting, Inc. > Coyote's Guide to IDL Programming: http://www.idlcoyote.com/ > Sepore ma de ni thue. ("Perhaps thou speakest truth.") Hi David. you should check the device after opening the file (= after the first plot command): IDL> set_plot, 'ps' IDL> device, /encapsulated IDL> help, /device File: <none> Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Disabled IDL> plot, dist(5) IDL> help, /device File: idl.ps Mode: Portrait, Encapsulated, EPSI Preview Disabled, Color Disabled

Subject: Re: PostScript Encapsulation Knowledge Posted by David Fanning on Sun, 09 Nov 2014 23:31:42 GMT View Forum Message <> Reply to Message

fawltylanguage@gmail.com writes:

you should check the device after opening the file (= after the first plot command):

> IDL> set_plot, 'ps'

regards, Lajos

- > IDL> device, /encapsulated
- > IDL> help, /device
- > File: <none>
- > Mode: Portrait, Non-Encapsulated, EPSI Preview Disabled, Color Disabled
- > IDL> plot, dist(5)
- > IDL> help, /device
- > File: idl.ps
- > Mode: Portrait, Encapsulated, EPSI Preview Disabled, Color Disabled

Yeah, too late by then. :-(

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")