
Subject: Easy question on for loops and if statements
Posted by [larosaant94](#) on Thu, 16 Jul 2015 17:15:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am plotting the magnetic field longitude and using the ATAN function to do so. Though the ATAN function gives a result between the range of -180 to +180. I wish to use a range of 0 to 360.

A look at the code:

```
Bx = data(10,*)  
By = data(11,*)  
  
longitude = 180/!Pi* atan(By, Bx)
```

```
FOR j=0,N_Elements(longitude)-1 DO BEGIN  
  IF longitude[j] lt 0 THEN BEGIN  
    longitude = 360 + longitude  
  ELSE  
    longitude = longitude  
ENDFOR
```

;Does the actual plotting-----

```
plot, time, longitude, yrange=[0, 360], yticks=4, yminor=6, $  
  ytitle='Lambda', position=[0.1, 0.24, 0.95, 0.31], xtickname=blnklb  
plots, [min(time), max(time)], 180.0*[1,1], linestyle=2
```

I want any number less than 0 to get 360 added to it and then once this is completed plot all the data points including the ones above 0!

Thanks!

Subject: Re: Easy question on for loops and if statements
Posted by [Michael Galloy](#) on Thu, 16 Jul 2015 18:24:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 7/16/15 11:15 AM, larosaant94@gmail.com wrote:
> I am plotting the magnetic field longitude and using the ATAN
> function to do so. Though the ATAN function gives a result
> between the range of -180 to +180. I wish to use a range of
> 0 to 360.
>
> A look at the code:
>

```

> Bx = data(10,*)  

> By = data(11,*)  

>  

> longitude = 180/!Pi* atan(By, Bx)  

>  

> FOR j=0,N_Elements(longitude)-1 DO BEGIN  

>   IF longitude[j] lt 0 THEN BEGIN  

>     longitude = 360 + longitude  

>   ELSE  

>     longitude = longitude  

> ENDFOR  

>  

> ;Does the actual plotting-----  

>  

> plot, time, longitude, yrang=[0, 360], yticks=4, yminor=6, $  

>   ytitle='Lambda', position=[0.1, 0.24, 0.95, 0.31], xtickname=blnklb  

>   plots, [min(time), max(time)], 180.0*[1,1], linestyle=2  

>  

>  

>  

> I want any number less than 0 to get 360 added to it and then once  

> this is completed plot all the data points including the ones above 0!

```

I don't see a specific question here. I do notice you had some oddities in your FOR loop, so I corrected:

```

for j = 0L, n_elements(longitude) - 1L do begin
  if (longitude[j] lt 0) then begin
    longitude[j] = 360 + longitude[j]
  endif
endfor

```

But really, I would just do the following:

```
longitude += (longitude lt 0) * 360
```

Mike

--

Michael Galloy

www.michaelgalloy.com

Modern IDL: A Guide to IDL Programming (<http://modernidl.idldev.com>)

Subject: Re: Easy question on for loops and if statements

Posted by [larosaant94](#) on Thu, 16 Jul 2015 18:30:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry about that...

I want to plot 0 to 360 on the y axis, but the calculation only computes -180 to 180. I need to add 360 to all values less than 0 and keep the ones 0 - 180 the same with no addition!

Subject: Re: Easy question on for loops and if statements
Posted by [Phillip Bitzer](#) on Thu, 16 Jul 2015 18:51:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Thursday, July 16, 2015 at 1:30:22 PM UTC-5, laros...@gmail.com wrote:

> Sorry about that...

>

> I want to plot 0 to 360 on the y axis, but the calculation only computes -180 to 180. I need to add 360 to all values less than 0 and keep the ones 0 - 180 the same with no addition!

Did you try searching for an answer?

I found this pretty quickly....

http://www.idlcoyote.com/map_tips/lonconvert.html

Subject: Re: Easy question on for loops and if statements
Posted by [larosaant94](#) on Thu, 16 Jul 2015 20:37:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Apparently not hard enough -- thank you.
