

---

Subject: Skip file during loop based on subprocess  
Posted by [Kai Heckel](#) on Thu, 30 Jul 2015 11:55:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hey there!

Here is what I have:

```
FOR f=0, N_ELEMENTS(foldername)-1 DO BEGIN<-----  
  IF test EQ 1 THEN BEGIN          -  
    IF test EQ 1 THEN BEGIN        -  
      IF test EQ 1 THEN BEGIN      -  
        PROBLEM >-----  
      ENDIF  
    ENDIF  
  ENDIF  
ENDIF  
ENDFOR
```

What I'd like to do:

If an error in the third IF statement occurs/ if the statement does not match the criteria, then the FOR-loop should skip the current file (f=n) and continue with the next file (f=n+1).

I saw that there is a function called CONTINUE but I couldn't make it work yet.

Does anyone have solution for this problem?

Thank you very much!

Greetings

---

---

Subject: Re: Skip file during loop based on subprocess  
Posted by [Helder Marchetto](#) on Thu, 30 Jul 2015 13:14:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Thursday, July 30, 2015 at 1:55:03 PM UTC+2, Kai Heckel wrote:

```
> Hey there!  
>  
> Here is what I have:  
>  
> FOR f=0, N_ELEMENTS(foldername)-1 DO BEGIN<-----  
>   IF test EQ 1 THEN BEGIN          -  
>     IF test EQ 1 THEN BEGIN        -  
>       IF test EQ 1 THEN BEGIN      -  
>         PROBLEM >-----  
>       ENDIF  
>
```

> ENDIF  
> ENDIF  
> ENDFOR  
>  
>  
> What I'd like to do:  
>  
> If an error in the third IF statement occurs/ if the statement does not match the criteria, then the FOR-loop should skip the current file (f=n) and continue with the next file (f=n+1).  
>  
> I saw that there is a function called CONTINUE but I couldn't make it work yet.  
>  
> Does anyone have solution for this problem?  
>  
> Thank you very much!  
>  
> Greetings

Hi,  
I'm not sure what "PROBLEM" means, therefore I've made two versions. The easiest one:

```
pro testEasyContinue
for i=0,10 do begin
  if i eq 5 then begin
    if i eq 5 then begin
      if i eq 5 then begin
        print, 'skip this one!'
        continue
      endif
    endif
  endif
  print, i
endifor
end
```

and the complicated one that catches an error:

```
pro testContinue
for i=0,10 do begin
  if i eq 5 then begin
    if i eq 5 then begin
      if i eq 5 then begin
        Catch, theError
        if theError ne 0 then begin
          print, 'skip this one!'
          continue
        endif
      endif
    endif
  endif
  a = b ;generate error
endifor
end
```

```
        endif
    endif
endif
print, i
endfor
end
```

Both give the same result:

```
0
1
2
3
4
skip this one!
6
7
8
9
10
```

I hope it helps.

Cheers,  
Helder

---