
Subject: New version of look.pro
Posted by [Fred Knight](#) on Thu, 02 May 1996 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

There is a new version of look.pro at

<http://idlastro.gsfc.nasa.gov:80/ftp/contrib/knight/look.pro>

The file is about 121k long, so I attach an excerpt from the header below. The new version has a number of improvements, including improved sliders, better catalog/blink/movie selection, intrinsic Postscript printing, and better help.

As always, I appreciate feedback---either pro or con.

Fred

```
;+
; Name:
;   look
; Purpose:
; This procedure produces a widget to view an image or series of images.
;   o You roam in a grid of 2x2 windows with menus on three sides.
;   o The plots are dynamic: horizontal and vertical cuts are updated
;     as you move the mouse over the full and zoom images.
;   o Zoom by dragging the left mouse over the full image.
;   o Select numerous options in the Options menu,
;   o Look is extensible ...
; ...
;
; Examples:
;   look                ; 1) Test with test images
;   images = randomu(seed,10,10,100)
;   look,images          ; 2) Display series of 2-D images
;   look,/noload         ; 3) Use existing images from common
;   common look          ; 4) To access the stored images at main level
;   look,/help           ; 5) Just display the look.pro header
;   look,/assoc          ; 6) Use an associate variable; prompt for
;                          ; file and definition of variable.
;                          ; OR
;   file = 'existing_file'
;   definition = 'intarr(128,128)'
;   look,/assoc,file=file,definition=definition
;
;   ; The associate variable can have
;   ; additional variables---with a tag.
;   definition = '{struct,header:bytarr(100),data:intarr(128,128)}'
;   ; Up to v3.6, the structure has to be named!
;   look,/assoc,tag=1,file=file,definition=definition
;
;   ; use tag #1 (data) in the structure
```

```
; look,loader_name='getdata',dimensions=[3,4,5]
;           ; 7) Use getdata.pro to obtain the set of
;           ; 3x4x5 images,
;           ; each of size returned by getdata.
;           ; Here 3 dimension sliders will be used.
; look,procedures='process'
;           ; 8) Add processing procedures, e.g., to use
;           ; YOUR OWN process.pro to
;           ; modify the current image.
; look,functions=['roberts','sobel']
;           ; 9) Add edge filters to Options menu
;
;
```
