Subject: Re: Parameter... any FAQ?

Posted by peter on Mon, 20 May 1996 07:00:00 GMT

View Forum Message <> Reply to Message

Marc Herbert (herbert@supaero.fr) wrote:

- : Peter Webb wrote:
- : > Yes, the documentation is wrong (or at least confusing). Array variables
- : > are passed by reference. This has been noted multiple times on this
- : > group, but the documentation hasn't changed.
- : Sorry for the "newbie" question ... is there any FAQ for this
- : group?

Marc, no problem asking questions like this. My somewhat snide tone above was directed at RSI who seem documentationally challenged at times.

A FAQ is posted monthly, but I don't think this subject appears.

Peter

-----

Peter Webb, HP Labs Medical Dept E-Mail: peter\_webb@hpl.hp.com

Phone: (415) 813-3756

Subject: Re: Parameter... any FAQ ?
Posted by Marc Herbert on Mon, 20 May 1996 07:00:00 GMT
View Forum Message <> Reply to Message

Peter Webb wrote:

>

>

- > Yes, the documentation is wrong (or at least confusing). Array variables
- > are passed by reference. This has been noted multiple times on this
- > group, but the documentation hasn't changed.

Sorry for the "newbie" question ... is there any FAQ for this group ?

--

Marc Herbert

Marc.Herbert@supaero.fr (MIME accepte)