Subject: Automatic Linefeed between TEXT Widgets... Posted by Luis E. Liziola on Fri, 31 May 1996 07:00:00 GMT

View Forum Message <> Reply to Message

I have a question on widgets...

I have a few text widgets, one after another one...

When I finish editting one TEXT Widget, I Press return and I want my cursor to go to the next TEXT Widget below. (I dont want to use the mouse to move the cursor to the next TEXT Widget.)

Do you know how yo do this?

Thanks

Subject: Re: Automatic Linefeed between TEXT Widgets... Posted by Peter Mason on Sun, 02 Jun 1996 07:00:00 GMT View Forum Message <> Reply to Message

On 31 May 1996, Luis E. Liziola wrote:

> I have a question on widgets...

>

> I have a few text widgets, one after another one...

>

- > When I finish editting one TEXT Widget, I Press return and
- > I want my cursor to go to the next TEXT Widget below.
- > (I dont want to use the mouse to move the cursor to the
- > next TEXT Widget.)

>

> Do you know how yo do this?

Use: WIDGET_CONTROL,next_text_widget_id,/INPUT_FOCUS in your event handler.

Peter Mason

Subject: Re: Automatic Linefeed between TEXT Widgets... Posted by David Foster on Mon, 03 Jun 1996 07:00:00 GMT View Forum Message <> Reply to Message

"Luis E. Liziola" < liziola@piura.colorado.edu> wrote:

>

```
I have a question on widgets...
I have a few text widgets, one after another one...
When I finish editting one TEXT Widget, I Press return and
I want my cursor to go to the next TEXT Widget below.
(I dont want to use the mouse to move the cursor to the
next TEXT Widget.)
```

Basically you look for the Return character in your event handler, and use the /INPUT_FOCUS keyword to WIDGET_CONTROL() to give the next text widget input focus:

In your event handler:

```
"WIDGET_TEXT_CH":
   WIDGET_CONTROL, event.id, get_value=text
   state.text = text    ; Store the text somewhere
   if ( event.ch eq 10B ) then begin
     WIDGET_CONTROL, next_text_widget, /input_focus, get_value=txt
   WIDGET_CONTROL, next_text_widget, $
        set_text_select=[strlen(txt(0)), 0]
   endif else begin
     ....
   endelse
   end
```

I've mailed you a short routine called GET_TEXT.PRO that brings up a popup widget and allows you to enter text in one or more text widgets. It's pretty easy to use, and it will show you in more detail how to do this. If anyone else is interested in this, let me know.

David Foster UCSD Brain Image Analysis Laboratory foster@bial1.ucsd.edu