

---

Subject: Re: Pull Down Menus

Posted by [Peter Mason](#) on Sat, 01 Jun 1996 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

- > I was just wondering what the best way to do the following would be:
- > I want a pull down menu from which I want to add and remove entries.
- > Should I use cw\_pdmenu or create my own?
- > Can I do this w/o remapping the menu?
- > How would my event handler keep up w/ this?
- > Am I crazy or just insane?

I've hacked CW\_PDMENU to do this - I can change button labels or increase / decrease the number of buttons in the list by passing my routine a STRARR of button names in a /SET\_VALUE call. Internally I destroy and recreate the menu (from a base below the menu's main base) when the number of buttons changes. The only thing the calling program's event handler must allow for is the change in the range of values the widget can return after it is resized.

Under Unix the hack works OK, except that I normally wrap a menu resizing call with WIDGET\_CONTROL,UPDATE=0 and /UPDATE on the container base to speed things up.

Under Windows 3.1x and 95 I've found that this sort of thing chews up Windows "resources" really quickly.

I'll e-mail you a copy of my hacked CW\_PDMENU if you like.

Peter Mason

CSIRO division of Exploration and Mining

P.O Box 136, North Ryde, NSW, 2113, Australia

E-Mail: [peter.mason@dem.csiro.au](mailto:peter.mason@dem.csiro.au) Tel: +61 2 887-8883 Fax: 887-8921/8909

---