Subject: SETENV, 'DISPLAY=IPaddress'
Posted by F.Salzedas on Mon, 30 Sep 1996 07:00:00 GMT

View Forum Message <> Reply to Message

Hello,

I'm working interactively with IDL (4.0.1) in a Xwindows terminal, and I want to display a plot on an other computer (a Mac that is connected to the previous Xwindows terminal via internet).

I tried to use the command SETENV, 'DISPLAY=macIPaddress' but the plots are still displayed at the Xwindows terminal.

Does any one know how to direct the display of an IDL plot to another terminal?

Thanks

Francisco

~

Subject: Re: SETENV, 'DISPLAY=IPaddress'
Posted by rivers on Thu, 03 Oct 1996 07:00:00 GMT

View Forum Message <> Reply to Message

In article <52rnji\$m2m@uwm.edu>, gunter@alpha1.csd.uwm.edu (David Gunter) writes:

- > F.Salzedas (fsal@rijnh.nl) wrote:
- >: Hello,
- >:
- >: I'm working interactively with IDL (4.0.1) in a Xwindows terminal, and
- >: I want to display a plot on an other computer (a Mac that is connected
- > : to the previous Xwindows terminal via internet).
- >: I tried to use the command SETENV, 'DISPLAY=macIPaddress' but the plots
- > : are still displayed at the Xwindows terminal.
- > : Does any one know how to direct the display of an IDL plot to another
- >: terminal?

It looks to me like you are trying set the DISPLAY environment variable from within IDL. I have not tried this, but you would definitely have to do it before IDL tries to make the first X windows call. It would be safer to do it before entering IDL, i.e.

> seteny DISPLAY macIPaddress:0

Mark Rivers (312) 702-2279 (office)
CARS (312) 702-9951 (secretary)
Univ. of Chicago (312) 702-5454 (FAX)
5640 S. Ellis Ave. (708) 922-0499 (home)

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive