Subject: Number of local variables in MAIN Posted by Dean Schulze on Wed, 18 Dec 1996 08:00:00 GMT

View Forum Message <> Reply to Message

I got the message

'Program unit has too many local variables'

while running a series of scripts. 'help' shows 251 local variables. The program level is MAIN.

Is there some way to increase the number of local variables? I'm running IDL v3.6 on HP-UX 9.05.

Thanks.

Dean Schulze

\_\_\_\_\_\_

"You plot the growth of the NEA [National Education Association] and the dropping of SAT scores, and they're inversely proportional. The problems are unions in the schools. The problem is bureaucracy. I'm one of these people who believes the best thing we could ever do is go to the full voucher system."

Steve Jobs Wired Magazine, Feb. 96 http://www.hotwired.com/wired/4.02/features/jobs.html

\_\_\_\_\_\_

Subject: Re: Number of local variables in MAIN Posted by davidf on Fri, 20 Dec 1996 08:00:00 GMT

View Forum Message <> Reply to Message

Dean Schulze <schulze@cassini.lpl.arizona.edu> writes:

> I got the message

>

- > 'Program unit has too many local variables'
- > while running a series of scripts. 'help' shows 251 local
- > variables. The program level is MAIN.
- > Is there some way to increase the number of local variables?
- > I'm running IDL v3.6 on HP-UX 9.05.

There is no way to increase the number of local variables allowed.

There are \*lots\* of ways to decrease the number of local variables in your programs, starting with making your programs more modular. This has the wonderful side-effect of making you a \*much\* better IDL programmer automatically. :-)

If it were me, I'd try to run fewer "scripts" and more "programs".

Happy Holidays,

David

David Fanning, Ph.D. Fanning Software Consulting 2642 Bradbury Court, Fort Collins, CO 80521 Phone: 970-221-0438 Fax: 970-221-4762

E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com

\_\_\_\_\_

Subject: Re: Number of local variables in MAIN Posted by R. Bauer on Sun, 22 Dec 1996 08:00:00 GMT

View Forum Message <> Reply to Message

I got this problem sometimes ago again.

The solution was to use structures instead of single variables.

R.Bauer

Subject: Re: Number of local variables in MAIN Posted by Dean Schulze on Mon, 23 Dec 1996 08:00:00 GMT View Forum Message <> Reply to Message

David Fanning wrote:

> There is no way to increase the number of local variables allowed.

An RSI tech. support representative told me that the limit on the number of local variables would be removed (or maybe greatly increased) with version 5.0 of IDL. But for now there is no way to increase that number.

- > There are \*lots\* of ways to decrease the number of local variables
- > in your programs, starting with making your programs more modular.
- > This has the wonderful side-effect of making you a \*much\* better
- > IDL programmer automatically. :-)

>

> If it were me, I'd try to run fewer "scripts" and more "programs".

I use scripts because it gives me access to all of the variables used which makes debugging easier and lets me study intermediate calcualtions as well as results. For my current project it is the plotting scripts that are generating excess variables and they can be turned into .pro modules.

Thanks.

Dean Schulze

\_\_\_\_\_\_\_

"You plot the growth of the NEA [National Education Association] and the dropping of SAT scores, and they're inversely proportional. The problems are unions in the schools. The problem is bureaucracy. I'm one of these people who believes the best thing we could ever do is go to the full voucher system."

Steve Jobs Wired Magazine, Feb. 96 http://www.hotwired.com/wired/4.02/features/jobs.html