Subject: Re: setting default background color, etc Posted by Andy Loughe on Wed, 14 May 1997 07:00:00 GMT

View Forum Message <> Reply to Message

```
Melissa Nischan wrote:
```

>

> Hi All,

>

- > I am very new to IDL, and have what I believe should be a basic
- > question (but I couldn't find anything in the FAQ about it): when I start
- > IDL and plot something, I always get white on a black background. I
- > discovered that if I set !p.background I can change that, but I was
- > wondering how do I set the default background to be something other than
- > black? It's a pain to have to set it each time. (I use IDL on a
- > UNIX machine)

>

- > thanks.
- > Melissa
- > nischan@ll.mit.edu

Put

!p.background = preferred_color_index

into a startup file that is automatically run when entering idl.

In Unix, IDL STARTUP contains the name of this startup file.

--

Andrew F. Loughe | afl@cdc.noaa.gov University of Colorado, CIRES Box 449 | http://cdc.noaa.gov/~afl

Boulder, CO 80309-0449 | phn:(303)492-0707

fax:(303)497-7013

"I do not feel obliged to believe that the same God who has endowed us with

sense, reason, and intellect has intended us to forego their use."

-Galileo

Subject: Re: setting default background color, etc Posted by davidf on Wed, 14 May 1997 07:00:00 GMT

View Forum Message <> Reply to Message

Melissa Nischan writes:

- > I am very new to IDL, and have what I believe should be a basic
- > question (but I couldn't find anything in the FAQ about it): when I start
- > IDL and plot something, I always get white on a black background. I
- > discovered that if I set !p.background I can change that, but I was
- > wondering how do I set the default background to be something other than
- > black? It's a pain to have to set it each time. (I use IDL on a
- > UNIX machine)

Hi Melissa,

By default, IDL sets the background color to color index 0. Thus, to change the background color, you need to load some other color into this index. For example, you could load (heaven forbid!) a yellow color in this index like this:

```
IDL> TVLCT, 255, 255, 0, 0
```

You could even do this in an IDL startup file.

The problem with this approach is that every time you load a new color table you are likely to write over this index. What I usually do is save about four or five colors at the top of my color table for "drawing colors". Then I make sure I use these colors for plotting, etc. And I make sure I don't write over them when I change color tables.

For example, here are three drawing colors (charcoal, yellow, and green, loaded into the last three elements of the color table. You might do this in an IDL startup file:

; Find out how many colors you have.

```
Window, /Pixmap, /Free, XSize=10, YSize=10
WDelete, !D.Window
ncolors = !D.N_Colors
```

; Data colors--leave top three colors alone.

```
dataColors = ncolors - 3
```

; Load "drawing" colors (charcoal, yellow, green).

TVLCT, [120, 255, 0], [120, 255, 255], [120, 0, 0], dataColors backgroundColor = dataColors plotColor = dataColors + 1 oplotColor = dataColors + 2

!P.Background = backgroundColor !P.Color = plotColor

Now, you can just draw a plot, like this:

data = Findgen(11)Plot, data

Or, you can specify the colors specifically, like this:

Plot, data, Color=plotColor, Background=backgroundColor OPlot, Reverse(data), Color=oplotColor

When you load a new color table, be sure you only load the data colors, and don't write over your drawing colors. Do something like this:

XLoadCT, NColors=datacolors

There are a lot of color tips like this on my Coyote's Guide to IDL Programming web page. You will also find programs (e.g. GETCOLOR, CHGCOLOR, XCOLORS, etc.) that will help you work with colors in IDL.

Good luck!

David

David Fanning, Ph.D.

Fanning Software Consulting Customizable IDL Programming Courses

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com