
Subject: ftp site with IDL routines

Posted by [sterner](#) on Wed, 26 Jun 1991 23:51:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

An anonymous ftp site is now available containing about 300 IDL routines which may be of general interest. These routines have not been tested for PV-WAVE.

The routines are available as compressed tar files for unix, and compressed backup files for VMS (a decompress utility for VMS is also available from this site).

The routines mostly fall into the following broad categories: Text Files, Text strings, Date & time routines, Information, Plotting/Graphics, Imaging, Array processing, Math routines, Programming routine, Miscellaneous, FITS image routines. Many of the routines should work on any computer system, some require X windows, some require Postscript printers. Many have been run on VAX VMS, SUNOS, HP-UX, and MSDOS.

Accessing the ftp site

ftp 128.244.147.14 (fermi.jhuapl.edu)

For Name type: anonymous

For Password type anything.

Do the following ftp commands:

Command

Comment

----- -----
cd idl-pvwave/jhuapl Change to IDL library directory.

get README Get the site description file.

get cat.one Optional. One line description of each routine.

bye

Here is a sample extract from the one line descriptions file, cat.one:

getwrld = Return the n'th word from a text string.

wordarray = Convert a text string or string array into a 1-d array of words.

date2ymd = Date text string to the numbers year, month, day.

jd2ymd = Find year, month, day numbers from julian day number.

timeaxis = Plot a time axis.

ymd2jd = From Year, Month, and Day compute Julian Day number.

set_isoxy = Set data window with equal x & y scales.

psinit = Redirect plots and images to postscript printer.

makez = Make simulated 2-d data. Useful for software development.

imgunder = Display image in same area as last plot.

topo = Make a monochrome shaded relief view of a surface.

binbound = For binary image return array with boundary points set to 1.

radon = Compute the Radon Transform using the FFT method.

kurf = Computes kurtosis inside a moving window.

skewf = Computes skew inside a moving window.
varf = Computes variance inside a moving window.
ave2d = Average rows or columns of a 2-d array.
factor = Find prime factors of a given number.
nicenumber = Find a nice number close to the given number.
polrec = Convert 2-d polar coordinates to rectangular coordinates.
recpol = Convert 2-d rectangular coordinates to polar coordinates.
rot_3d = Rotate 3-d coordinate system.
skewint = Give the near-intersection point for two skew lines.
opfit2d = Calculate orthonormal polynomial fit for 2-d data.
convexhull = Return the convex hull of a polygon.
prime = Return an array with the specified number of prime numbers.
mandelbrot = Compute Mandelbrot images
filename = File names with system independent symbolic directories.
sun = Computes geocentric physical ephemeris of the sun.

Ray Sterner sterner%str.decnet@warper.jhuapl.edu
Johns Hopkins University North latitude 39.16 degrees.
Applied Physics Laboratory West longitude 76.90 degrees.
Laurel, MD 20723-6099

Bruce L. Gotwols
Johns Hopkins University, Applied Physics Lab., Laurel MD 20723
Internet: gotwols@warper.jhuapl.edu (128.244.176.48)
SPAN: APLSP::STR::GOTWOLS

Subject: Re: ftp site
Posted by [sterner](#) on Tue, 10 Nov 1992 21:07:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

hatay@spot.Colorado.EDU (Ferhat F. Hatay) writes:

> I don't seem to be able to reach the anonymous
> ftp site at the John Hopkins University.

A number of people had problems accessing the JHU/APL
IDL ftp site. It was down for awhile over the weekend but
seems to be working ok now, please try again. Make sure
you are using ftp and not telnet. Sorry for any inconvenience.

Ray Sterner sterner%str.decnet@warper.jhuapl.edu
Johns Hopkins University North latitude 39.16 degrees.
Applied Physics Laboratory West longitude 76.90 degrees.
Laurel, MD 20723-6099
