## Subject: S: IDL- Language Mode for NEdit 5.0 Posted by alpha on Wed, 14 Jan 1998 08:00:00 GMT

View Forum Message <> Reply to Message

Hello,

is there anybody, who has written a nice language-code

for NEDIT 5.0 for Syntax highlighting?

Any Links?

TIA

Panther

Panther in the Jungle

Subject: Re: S: IDL- Language Mode for NEdit 5.0 Posted by Robert S. Hill on Tue, 20 Jan 1998 08:00:00 GMT View Forum Message <> Reply to Message

On Tue, 20 Jan 1998, Tony Papenfuss wrote:

> Robert S. Hill wrote:

>>

>> On 14 Jan 1998, HSR Sys-Admin wrote:

>>> Hello,

>>>

>>> is there anybody, who has written a nice language-code

>>>

>>> for NEDIT 5.0 for Syntax highlighting?

It turned out in the end to be not as hard as I had thought. Once you figure out how to -create- a new language mode using the menus, you can just start using it and update it incrementally to fix things that you have forgotten.

One suggestion I cribbed from the Fortran mode is to make the keyword regexps FOR|[Ff]or ... etc. to get all reasonable capitalizations. Otherwise, what I came up with is (naturally) quite similar to what others

```
have posted.
```

--

Robert.S.Hill.1@gsfc.nasa.gov Phone: 301-286-3624 Raytheon STX / Code 681, NASA/GSFC, Greenbelt, MD 20771

Subject: Re: S: IDL- Language Mode for NEdit 5.0 Posted by Tony Papenfuss on Tue, 20 Jan 1998 08:00:00 GMT View Forum Message <> Reply to Message

```
Robert S. Hill wrote:
> On 14 Jan 1998, HSR Sys-Admin wrote:
>> Hello,
>>
>> is there anybody, who has written a nice language-code
>>
>> for NEDIT 5.0 for Syntax highlighting?
> I'm interested in this, too. I took a crack at doing it myself, but
  realized quickly that I don't have time.
>
> --
  Robert.S.Hill.1@gsfc.nasa.gov Phone: 301-286-3624
  Raytheon STX / Code 681, NASA/GSFC, Greenbelt, MD 20771
This remains a work in progress:
IDL:1:0{\n\
 Data:"<(byte|fix|long|float|double|complex|string)>":::Keyword::\n\
 Functions:"<(min|max)>":::Keyword::\n\
Keywords:"<(where|print|reform|call_external|common|tv|tvscl) >":::Keyword::\n\
 Flow
control:"<(for|do|endfor|if|then|endif|else|endelse|begin)> ":::Flow
control::\n\
Logicals:"<(eq|EQ|ne|NE|It|LT|Ie|LE|gt|GT|ge|GE|and|AND|or|OR) >":::Logicals::\n\
 Comment:";":"$"::Comment::\n\
String:"":":"String::\n\
 String 1:""":::String1::\n\
 Brackets:"[{()}]":::Brackets::\n\
 Numeric
const:"< ((0(x|X)[0-9a-fA-F]^*)|(([0-9]+\\.?[0-9]^*)|(\\.[0-9]+))((e|E) (\\+|-)?[0-9]+)?)(||L|d|D|b)? > \n
":::Numeric Const::\n\
 Procedures:"^[(pro|PRO|function|FUNCTION)*!]":"$"::Subroutine::\n\
 Procedure flow:"<(return|RETURN|stop|STOP|end|END)>":::Subroutine::\n\
```

Tony Papenfuss EMAIL: tonyp@resmel.bhp.com.au