
Subject: Re: Help with IDLgrAxis
Posted by [davidf](#) on Wed, 08 Apr 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mostafa El-Kady (mostafa@kraken.atmos.colostate.edu) writes:

```
> I am trying to draw an axis with variable tick interval. As I understood
> from the documents, I can use TICKVALUES to do that. So, here is what
> I did:
>
> ticks = [0, 0.1, 0.3, 0.8, 1.0]
> text = OBJ_NEW('IDLgrText', STRING(ticks))
> axis = OBJ_NEW('IDLgrAxis', 0, MAJOR=N_ELEMENTS(ticks), /EXACT, $
>             TICKTEXT=text, TICKVALUES=ticks)
>
> The resulting axis has tickvalue of 0, 0.1, 0.3, 0.8, 1.0 as I want
> it, but at equal intervals. From the GetProperty method, I get
> TICKVALUES as 0.00 0.25 0.50 0.75 1.00
```

As far as I know, it is NOT possible to create an axis in either direct or object graphics with variable tick intervals, unless you entirely suppress the tick labels and marks and draw them yourself with low-level routines like PlotS and XYOutS.

I don't think it would be too hard to write your own variable interval axis routine from scratch, however. (Perhaps Martin Schultz will do it for us. He has been in the programming groove lately. :-))

Cheers,

David

David Fanning, Ph.D.
Fanning Software Consulting
E-Mail: davidf@dfanning.com
Phone: 970-221-0438
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
