
Subject: Re: Workstation or X-Terminal ?
Posted by [pit](#) on Fri, 08 May 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <3551FA7D.D236FEA6@fz-juelich.de>,
"R. Bauer" <r.bauer@fz-juelich.de> writes:

> How can I determine if a user uses a workstation or a X-Terminal for
> IDL ?

You could try to examine the environment variable DISPLAY
(a=getenv('DISPLAY')), a workstation should have it empty or something
like ":0" or ":0.0".

and *please* do not post HTML code!

Peter

--

~~~~~  
~~~~~  
Peter "Pit" Suetterlin <http://www.uni-sw.gwdg.de/~pit>
Universitaets-Sternwarte Goettingen
Tel.: +49 551 39-5048 pit@uni-sw.gwdg.de

-- * -- * ..-- * -- * ..-- * -- * ..-- * -- * ..-- * -- * ..-- * --
Come and see the stars! <http://www.kis.uni-freiburg.de/~ps/SFB>
Sternfreunde Breisgau e.V. Tel.: +49 7641 3492

Subject: Re: Workstation or X-Terminal ?
Posted by [Michael Werger](#) on Tue, 12 May 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

R. Bauer wrote:

> Hi
>
> How can I determine if a user uses a workstation or a X-Terminal for
> IDL ?
>

at least for Solaris a starting point for the answer:
for the user at the workstation there is usually a process X :0 but
not for a user at a X-terminal. Sorry for not giving the complete script
to
determine the answer to your question.

--

Michael Werger

-----o

ESA ESTEC & Praesepe B.V. |

Astrophysics Division mwerger@astro.estec.esa.nl|

| Postbus 299 http://astro.estec.esa.nl |

| 2200 AG Noordwijk +31 71 565 3783 (Voice)

o----- The Netherlands +31 71 565 4690 (FAX)
