Subject: Re: on_ioerror?

Posted by davidf on Wed, 03 Jun 1998 07:00:00 GMT

View Forum Message <> Reply to Message

Dallas Masters (dallas@lanl.gov) writes:

- > I'm running read_gif and read_tiff in a loop.
- > If an I/O error occurs, I want to print an error message
- > and continue going through the loop. Given read gif
- > and read_tiff, how would this be done (I've tried, nothing
- > works yet). Thanks.

I just looked at the code for these two routines and both return to the caller of the program when an error occurs (ON_ERROR, 2). I should think a simple CATCH in the routine that called either one of these programs would catch errors. Then you could proceed in whatever manner seemed appropriate.

Your code might look like this:

```
Catch, error
 IF error NE 0 THEN BEGIN
   Print, !Err_String
   CASE loopFlag OF
    1: GOTO, GIF LOOP
    2: GOTO, TIFF_LOOP
   ENDCASE
  ENDIF
  loopFlag = 1
  GIF LOOP:
  FOR j=0,n, DO READ_GIF, ....
  loopFlag = 2
  TIFF LOOP:
  for j=0, n DO READ_TIFF, ...
This is pseudo code, of course. :-)
Cheers,
David
David Fanning, Ph.D.
Fanning Software Consulting
E-Mail: davidf@dfanning.com
```

Phone: 970-221-0438

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Subject: Re: on_ioerror?

Posted by david on Thu, 04 Jun 1998 07:00:00 GMT

View Forum Message <> Reply to Message

Stein Vidar Hagfors Haugan (steinhh@ulrik.uio.no) writes in reply to one of my more elegant programming efforts:

>> This is pseudo code, of course. :-)

>

- > Nope. That was spaghetti, not pseudo.... :-)
- > Jumping out of and then back into FOR loops gives me
- > goosebumps.

Stein Vidar is right, of course. I was going to forego the code entirely because I only had 10 minutes before I had to pick up the kids, but I though, "Nah, piece of cake."

But then I got shaken by having to do two things in the same piece of code. Yikes! Since I've become infatuated with object programming I've become a one-piece-of-code-for-one-specific-thing kind of a guy. I just completely forgot how to write that one-size-fits-all type of code. My humble apologies. :-)

Cheers.

David

David Fanning, Ph.D.

Fanning Software Consulting E-Mail: davidf@dfanning.com

Phone: 970-221-0438

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Subject: Re: on_ioerror?

Posted by steinhh on Thu, 04 Jun 1998 07:00:00 GMT

View Forum Message <> Reply to Message

David Fanning wrote:

> This is pseudo code, of course. :-)

Nope. That was spaghetti, not pseudo.... :-) Jumping out of and then back into FOR loops gives me goosebumps.

```
FOR j=0,n DO BEGIN
    catch,error
    IF error NE 0 THEN BEGIN
     print,!Err_String
     goto, CONTINUE_GIF
    ENDIF
    read_gif,....
CONTINUE_GIF:
  ENDFOR
  catch,/cancel;; A matter of purity..
  FOR j=0,n DO BEGIN
    catch,error
    IF error NE 0 THEN BEGIN
     print,!Err_String
     goto,CONTINUE_TIFF
    ENDIF
    read_tiff,....
CONTINUE_TIFF:
  ENDFOR
  catch,/cancel;; A matter of purity..
Regards,
Stein Vidar
```