
Subject: call_external with PASCAL calling convention
Posted by [Eddie Breeveld](#) on Fri, 02 Oct 1998 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Any call_external gurus out there?

We have a windows DLL that interfaces with a PC card and we'd like it to be incorporated (via call_external) into IDL, but can't make it work. The equivalent C program does work however!
We are using IDL Version 5.1 Win32 (x86) with windows 98.

The IDL program runs, but returns a 'CARD NOT FOUND' error, which probably means that the parameters supplied to the routine are incorrect.

I think there is a problem with the 'PASCAL' type definition of the function 'W_7200_Initial', but call_external still returns the wrong result with or without '/cdecl'.

The test idl program is:

```
card = 0b ; Byte
basadd2 = 0 ; Int
irq1 = 0b ; Byte
; test without cdecl
result = call_external('7200.dll', 'W_7200_Initial', $
    card, basadd2, irq1, val=[1, 0, 0])
help, result, basadd2, irq1
end
```

The C program that works looks like:

```
#include <windows.h>
#include <stdio.h>
#include "c:\7200\include\7200.h"

unsigned char irq1;
unsigned short base_address2;
long status4;

void main(void)
{
    status4 = W_7200_Initial(0, &base_address2, &irq1);
    printf("Status= %ld\n"
        "Base Address= 0x%X\n"
        "IRQ= %d\n", status4, base_address2, irq1);
}
```

And the 7200.h file contains (amongst a lot of other stuff...)

```
typedef unsigned char  U8;  
typedef unsigned short U16;
```

```
int PASCAL W_7200_Initial(U8 card_number, U16 *base_address, U8  
*irq_no );
```

We could write a C wrapper for 7200.dll, but this is messy. Is there any other solution, or is there a bug in IDL with the /cdecl switch?
