

---

Subject: Creating a Run-Time IDL Application  
Posted by [Eric Frans](#) on Wed, 18 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

IDL folks,

Recently I have been playing around with process mentioned on David Fanning's excellent site:

[http://www.dfanning.com/tips/idl\\_icon.html](http://www.dfanning.com/tips/idl_icon.html)

My goal is to get an IDL widget application to launch by simply double clicking on an icon and have no evidence of the IDL Development Environment in the background.

I have successfully used this process on one widget application and I was extremely pleased. However, I tried the same methodology on some other widget applications and when I double click on the .sav icon, all I see is the "Runtime App" icon appear on my windows (95) toolbar for a few seconds and then disappear without ever launching the widget application. Has anyone else experienced this?

I suspect the reason for this anomaly is due to slight differences in the way the widget applications were coded. Admittedly, I am new to the world of widgets, so I may have left off a keyword or something so the auto launch method isn't working. However, the widget applications I am having problems with launching from a .sav icon work perfectly when run in the IDL Development Environment manually...

Any help here would be greatly appreciated. Thanks!

- Eric Frans

---

Subject: Re: Creating a Run-Time IDL Application  
Posted by [davidf](#) on Thu, 19 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Eric Frans (epfrans@west.raytheon.com) writes:

> P.S. Hopefully, David Fanning will add a step 3.5 to his page stating  
> that the .sav file must be in a directory path with no spaces. :)

Done.

David

--

David Fanning, Ph.D.  
Fanning Software Consulting  
Phone: 970-221-0438 E-Mail: davidf@dfanning.com  
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>  
Toll-Free IDL Book Orders: 1-888-461-0155

---

---

Subject: Re: Creating a Run-Time IDL Application  
Posted by [Eric Frans](#) on Thu, 19 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dick Jackson wrote:

>  
> Quick check: is there a blank ( ' ') character anywhere in your .sav  
> file's path? (I know, you're thinking "What an odd question!" :-)  
>  
> If so, you have stumbled on a bug in IDL Runtime for Windows that I  
> came across a little while back. The bug was still there in IDL 5.2b1,  
> but I was told that it was going to be in 5.2 final, and indeed it  
> seems to be fixed in 5.2b2. For now, of course, you can remove any  
> blanks in enclosing directory names, if that isn't too inconvenient.  
>  
> Hope this helps!

THANK YOU!!!!!!!!!!

That was the problem exactly. I have a folder named 'IDL Programs' and several subfolders underneath that was where I had the .sav file located. After many hours of altering my code thinking the problem was the widget coding, I tried to simply move the .sav file to a different folder altogether and everything worked fine. I didn't understand what was happening until I read your message.

Let me just reiterate Dick's point that the .sav file will not work if you have a blank \*anywhere\* in the .sav file path -- i.e. the folder under 'IDL Programs' I had the .sav file in had no spaces in it, but the program still wouldn't launch since the .sav file was still \*under\* 'IDL Programs'.

I think I'll be using underscores instead of spaces from now on!

- Eric Frans

P.S. Hopefully, David Fanning will add a step 3.5 to his page stating that the .sav file must be in a directory path with no spaces. :)

---

Subject: Re: Creating a Run-Time IDL Application  
Posted by [Dick Jackson](#) on Thu, 19 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Dick Jackson wrote:

```
>
> [...] The bug was still there in IDL 5.2b1,
> but I was told that it was going to be in 5.2 final,
```

Make that "it was going to be *fixed* in 5.2 final!"

My apologies, I want to be clear that RSI does not make a practice of promising bugs.

Now stop snickering. :-)

Cheers,

--  
-Dick

Dick Jackson      Fanning Software Consulting, Canadian Office  
djackson@dfanning.com    Calgary, Alberta    Voice/Fax: (403) 242-7398  
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Subject: Re: Creating a Run-Time IDL Application  
Posted by [Martin Schultz](#) on Fri, 20 Nov 1998 08:00:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

David Fanning wrote:

```
> Eric Frans (epfrans@west.raytheon.com) writes:
>
>> P.S. Hopefully, David Fanning will add a step 3.5 to his page stating
>> that the .sav file must be in a directory path with no spaces. :)
>
> Done.
>
> David
>
> --
> David Fanning, Ph.D.
> Fanning Software Consulting
> Phone: 970-221-0438 E-Mail: davidf@dfanning.com
> Coyote's Guide to IDL Programming: http://www.dfanning.com/
> Toll-Free IDL Book Orders: 1-888-461-0155
```

BTW: that links back to one of those discussions on platform  
independencies: BLANKS IN FILENAMES ARE NOT PLATFORM INDEPENDENT  
!!!!!!!!!!!!!!!!!!!!!!

Martin.

--

-----  
Dr. Martin Schultz  
Department for Engineering&Applied Sciences, Harvard University  
109 Pierce Hall, 29 Oxford St., Cambridge, MA-02138, USA

phone: (617)-496-8318

fax : (617)-495-4551

e-mail: mgs@io.harvard.edu

Internet-homepage: <http://www-as.harvard.edu/people/staff/mgs/>  
-----

---