
Subject: IDLgrColorbar object
Posted by [Peter Connell](#) on Tue, 17 Nov 1998 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am attempting to use the Colorbar object in IDL 5.1 as a legend for a color-filled contour OOG plot. I am confused by the interactions of the COORD_CONV, DIMENSIONS, TICKVALUES, TICKTEXT, and MAJOR keywords with respect to positioning and labeling the colorbar. More specifically, COORD_CONV and DIMENSIONS seem to be related to data/normal coordinate conversion, while TICKVALUES seems to work with palette indices. Can anyone provide for me a clearer succinct explanation than appears in the IDL documentation?

Thanks for anyone's effort,
Peter Connell
LLNL Atmospheric Science Division

Subject: Re: IDLgrcolorbar
Posted by [David Fanning](#) on Mon, 27 Nov 2006 18:34:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

Eric writes:

> Is there a way to use the colorbar object (IDLgrcolorbar) in xplot3d?

I don't see why not. You have the code there in front of you. :-)

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Sepore ma de ni thui. ("Perhaps thou speakest truth.")
