
Subject: Masking of land/sea

Posted by [Ole Bossing Christens](#) on Wed, 25 Nov 1998 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all of you,

I hope this is a simple question:

I am using IDL 5.1 for IRIX at an O2.

I have an irregular grid of land-based observations, which I want to plot on a map using CONTOUR,/irregular,/cell_fill. I will show map and grid using (MAP_SET), MAP_CONTINENTS, and MAP_GRID. Is there a way to avoid contour colors over sea, where they do not have a physical meaning? Something reciprocal to MAP_CONTINENTS,/fill_continents , may be?

Thanks in advance! /Ole

--

Ole Bøssing Christensen, Ph.D. E-mail: bossing@dmi.dk
Climate Research Div. Phone : (+45) 39 15 74 26
Danish Meteorological Institute Fax: (+45) 39 15 74 60
Lyngbyvej 100, DK-2100 Copenhagen N, Denmark

Subject: Re: Masking of land/sea

Posted by [Martin Schultz](#) on Fri, 27 Nov 1998 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ole Bossing Christensen wrote:

> Dear all of you,

>

> I hope this is a simple question:

>

> I am using IDL 5.1 for IRIX at an O2.

>

> I have an irregular grid of land-based observations, which I want to
> plot on a map using CONTOUR,/irregular,/cell_fill. I will show map and
> grid using (MAP_SET), MAP_CONTINENTS, and MAP_GRID. Is there a way to
> avoid contour colors over sea, where they do not have a physical
> meaning? Something reciprocal to MAP_CONTINENTS,/fill_continents , may
> be?

>

> Thanks in advance! /Ole

> --

> Ole Bøssing Christensen, Ph.D. E-mail: bossing@dmi.dk
> Climate Research Div. Phone : (+45) 39 15 74 26

> Danish Meteorological Institute Fax: (+45) 39 15 74 60
> Lyngbyvej 100, DK-2100 Copenhagen N, Denmark

if you are only looking for a solution in screen resolution, you could

- (1) plot you rmap with filled continents
- (2) read the image with tvread()
- (3) extract all "ocean" points with where(image eq 0) ; or whatever your background color is
- (4) draw your contours
- (5) read your image again with tvread()
- (5) put the oceans back in: image2[ocindex] = background_color
- (6) display the result with tv,image2

for a somewhat better resolution you could do all of the above in a big pixmap, but if you are looking for a "generic" postscript resolution capable way... I don't know...

Hope this helps,
Martin.

--

Dr. Martin Schultz
Department for Engineering&Applied Sciences, Harvard University
109 Pierce Hall, 29 Oxford St., Cambridge, MA-02138, USA

phone: (617)-496-8318
fax : (617)-495-4551

e-mail: mgs@io.harvard.edu
Internet-homepage: <http://www-as.harvard.edu/people/staff/mgs/>
