

---

Subject: probability scale on 2D line plot?

Posted by [Charlotte DeMott](#) on Wed, 09 Dec 1998 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Does anyone know how to create a "probability axis" for a line plot? This is an axis that runs from nearly zero to nearly 1, that is stretched at each end, such that the cumulative distribution of a normal population appears as a straight line.

For anyone familiar with the atmospheric sciences, numerous examples may be seen in Houze and Cheng, 1977, MWR 106, 964-980.

Thanks,  
Charlotte

---  
Charlotte A. DeMott  
Department of Atmospheric Science  
Colorado State University  
Fort Collins CO 80523  
demott@massif.atmos.colostate.edu  
970 491 1487

---

---

Subject: Re: probability scale on 2D line plot?

Posted by [Martin Schultz](#) on Mon, 14 Dec 1998 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Charlotte DeMott wrote:

> Does anyone know how to create a "probability axis" for a  
> line plot? This is an axis that runs from nearly zero to  
> nearly 1, that is stretched at each end, such that the  
> cumulative distribution of a normal population appears as a  
> straight line.  
>  
> For anyone familiar with the atmospheric sciences, numerous  
> examples may be seen in Houze and Cheng, 1977, MWR 106,  
> 964-980.  
>  
> Thanks,  
> Charlotte  
>  
> ---  
> Charlotte A. DeMott  
> Department of Atmospheric Science

> Colorado State University  
> Fort Collins CO 80523  
> demott@massif.atmos.colostate.edu  
> 970 491 1487

Please find attached my little QQNORM program. That's the name of that "deviation from standard probability distribution" function in SPlus. It will compute the deviation from the expected probability for each data point.

Hope this helps,  
Martin.

--

-----  
Dr. Martin Schultz  
Department for Engineering&Applied Sciences, Harvard University  
109 Pierce Hall, 29 Oxford St., Cambridge, MA-02138, USA

phone: (617)-496-8318  
fax : (617)-495-4551

e-mail: mgs@io.harvard.edu  
Internet-homepage: <http://www-as.harvard.edu/people/staff/mgs/>  
-----

```
function qqnorm,data

; mgs, 12/14/98, extracted from w_calc.pro
; procedure: sort the data, assign actual "probability" and calculate
; the expected deviation from the mean

; compute mean and standard deviation
bla = moment(data)
mean = bla[0]
sigma = sqrt(bla[1])

; make working copy to store result and compute sort index
tmp = data
tmpind = sort(tmp)
N = n_elements(tmp)
for i=0,n-1 do tmp[tmpind[i]] = gauss_cvf( 1.-(i+0.5)/N )
```

```
return,tmp  
end
```

## File Attachments

---

1) [qqnorm.pro](#), downloaded 115 times

---