Subject: Re: supress axes

Posted by davidf on Sat, 09 Jan 1999 08:00:00 GMT

View Forum Message <> Reply to Message

Mike Schienle (mgs@ivsoftware.com) writes:

> The [xyz]styles are bitwise. This ought to do what you're looking for.

>

> IDL> shade_surf, data, xstyle=5, ystyle=5, zstyle=5

Uh, just for those of us who are a little confused by computer jargon, "bitwise" means the values can be added together. For example:

; To turn an axis off.

Plot, data, XStyle=4

; To make an axis an exact length.

Plot, data, XStyle=1

; To turn an axis off AND make it an exact length.

Plot, data, XStyle = 4 + 1

As the values are added together, certain bits get set. These bits tell the program what to do. :-)

Now, back to your regularly scheduled program...

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Progamming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: supress axes

Posted by mgs on Sat, 09 Jan 1999 08:00:00 GMT

View Forum Message <> Reply to Message

In article <36969b38.19631047@news1.alterdial.uu.net>,

IbryanNOSPAM@arete-az.com (Lisa Bryan) wrote:

> Hello all,

>

- > I want to supress the axes on a shade_surf plot. I see that I can use
- > [xyz]style = 4 to do this, but I am currently using [xyz]style = 1 to
- > force my axes to a certain start and stop value. So when I set
- > [xyz]style = 4, my axes' lengths revert to IDL's defaults which is
- > undesireable. Is my only option creating a new set of axes to match
- > the old axes from shade_surf with the AXIS procedure and set these
- > to the background color (which seems a pain) or is there something
- > simpler I am missing?

The [xyz]styles are bitwise. This ought to do what you're looking for.

IDL> shade_surf, data, xstyle=5, ystyle=5, zstyle=5

--

Mike Schienle mgs@ivsoftware.com

Interactive Visuals, Inc. http://www.ivsoftware.com/

Subject: supress axes

Posted by IbryanNOSPAM on Tue, 12 Jan 1999 08:00:00 GMT

View Forum Message <> Reply to Message

Hello all,

Excuse me if this is a repost. I'm not sure if it made it through.

I want to supress the axes on a shade_surf plot. I see that I can use [xyz]style = 4 to do this, but I am currently using [xyz]style = 1 to force my axes to a certain start and stop value. So when I set [xyz]style = 4, my axes' lengths revert to IDL's defaults which is undesireable. Is my only option creating a new set of axes to match the old axes from shade_surf with the AXIS procedure and set these to the background color (which seems a pain) or is there something simpler I am missing?

Lisa Bryan Ibryan@arete-az.com Arete Associates Tucson AZ

Lisa Bryan Arete Associates Tucson, Arizona Page 3 of 3 ---- Generated from comp.lang.idl-pvwave archive