Subject: Re: multiple Y-axis for 2D plots

Posted by davidf on Tue, 08 Jun 1999 07:00:00 GMT

View Forum Message <> Reply to Message

Robert King (kingrj2@bp.com) writes:

- > I've taken this from "IDL Programming Techniques" by DWF. (Page 31).
- > I'm also quite new to IDL and found this book a wonderful aid to
- > programming I use it practically every half hour that I'm programming !!
- > Well worth getting a copy,

Oh, no. Now the book orders are going to be pouring in just as I'm leaving on a vacation! Just thought I'd let you know in case anyone missed me in the next couple of weeks and worried that I couldn't handle the crushing load. :-)

Cheers,

David

P.S. Let's just say my wife made me hand over the dongle about five minutes ago. I have two minutes left to explain how color wor...

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: multiple Y-axis for 2D plots

Posted by davidf on Tue, 08 Jun 1999 07:00:00 GMT

View Forum Message <> Reply to Message

Robert King (kingrj2@bp.com) writes:

- > I *JUST* knew that answering a question using someone elses' code
- > wouldn't work!

>

- > In my answer (foolishly copied & posted without checking to see that it
- > works first!) I put the YRange from 0 to 200. You'll probably want to
- > change this to the maximum and mininum values of the second data set. You
- > can find these by using:

>

> maxVal=MAX(data_set_two, MIN=minVal)

>

> Then modify the call to the AXIS procedure as follows:

>

- > Axis, YAxis=1, YRange=[minVal,maxVal], /SAVE, YTitle=' Dashed Line:
- > Pressure (mmHg)'

I ran into the same problem. (Although I *did* remember to test it first. I've been embarrassed *way* too many times!). But I've already fixed this for the next printing of the book. :-)

Cheers.

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: multiple Y-axis for 2D plots
Posted by Robert King on Tue, 08 Jun 1999 07:00:00 GMT
View Forum Message <> Reply to Message

Hello again,

I *JUST* knew that answering a question using someone elses' code wouldn't work!

In my answer (foolishly copied & posted without checking to see that it works first!) I put the YRange from 0 to 200. You'll probably want to change this to the maximum and mininum values of the second data set. You can find these by using:

maxVal=MAX(data_set_two, MIN=minVal)

Then modify the call to the AXIS procedure as follows:

Axis, YAxis=1, YRange=[minVal,maxVal], /SAVE, YTitle=' Dashed Line : Pressure (mmHg)'

Regards,

Robert

Subject: Re: multiple Y-axis for 2D plots Posted by Robert King on Tue, 08 Jun 1999 07:00:00 GMT

View Forum Message <> Reply to Message

noymer@mozart.ceped.ined.fr wrote in article <7jj5ai\$kin\$1@nnrp1.deja.com>...

> Dear IDL newsgroup,

>

- > I have data like this: a year vector (for the X-axis) and two
- > data vectors (for the Y values of two curves). Now, the two data
- > vectors are to be displayed on the same graph, but they have radically
- > different Y-scales. Rather than multiply the smaller by, say 100, I
- > would like to display them each on their own axis. By this, I mean
- > just like the lower left panel of figure 10-12 in the "Using IDL"
- > manual (p.200 in my version), except imagine the first curve being the
- > distribution of temperature (as drawn), and the RH Y-axis not being
- > Celsius, but being mmHg, and then imagine a second curve, giving the
- > distribution of atmospheric pressure for the same locale. The LH
- > Y-axis is for temp; the RH Y-axis is for pressure.

>

- > Some people feel that such graphs are unreadable because they don't
- > know without careful inspection of the caption which line goes with
- > the RH-Y-axis and which goes with the LH-Y-axis. They have a point;
- > the way out is to do two separate panels, closely stacked. But I
- > would like to know if this is at least doable.

>

- > From the documentation for axis (etc), it was unclear (at least to me)
- > if this was possible, and all my experiments failed.

>

> Thanks in advance if anyone has any thoughts.

>

- > Best,
- > Andrew.

>

Andrew,

Sorry to everyone if someone's already posted an answer to this one my newsfeed is somewhat slow and tempermental to say the least...:(

I've taken this from "IDL Programming Techniques" by DWF. (Page 31). I'm also quite new to IDL and found this book a wonderful aid to programming - I use it practically every half hour that I'm programming!! Well worth getting a copy, I'm sure that David will send you the details, otherwise visit his web site at http://www.dfanning.com/

"data_set_one" would be your temp Vs Time data "data_set_two" is the press Vs Time data.

Plot, data_set_one, YStyle=8, YTitle='Solid Line :Temp (deg C)' ,\$
 Position=[0.15,0.15,0.85,0.95]

Axis, YAxis=1, YRange=[0,200], /SAVE, YTitle=' Dashed Line : Pressure (mmHg)'

OPlot, data_set_two, LineStyle=2

Hope that this helps

Regards,

Robert

Subject: Re: multiple Y-axis for 2D plots
Posted by davidf on Tue, 08 Jun 1999 07:00:00 GMT
View Forum Message <> Reply to Message

Andrew (noymer@mozart.ceped.ined.fr) writes:

- > I have data like this: a year vector (for the X-axis) and two
- > data vectors (for the Y values of two curves). Now, the two data
- > vectors are to be displayed on the same graph, but they have radically
- > different Y-scales. Rather than multiply the smaller by, say 100, I
- > would like to display them each on their own axis. By this, I mean
- > just like the lower left panel of figure 10-12 in the "Using IDL"
- > manual (p.200 in my version), except imagine the first curve being the
- > distribution of temperature (as drawn), and the RH Y-axis not being
- > Celsius, but being mmHg, and then imagine a second curve, giving the
- > distribution of atmospheric pressure for the same locale. The LH
- > Y-axis is for temp; the RH Y-axis is for pressure.

>

- > From the documentation for axis (etc), it was unclear (at least to me)
- > if this was possible, and all my experiments failed.

From that wonderful IDL Programming Techniques book, written by ol' whatshisname: :-)

```
data = Loaddata(1)
Plot, data, YStyle=8, YTitle='Solid Line', $
Position=[0.15, 0.15, 0.85, 0.95]
newdata = data * 5
Axis, YAxis=1, YRange=[Min(newdata), Max(newdata)], /Save, $
YTitle='Dashed Line'
OPlot, newdata, LineStyle=2
```

You can download the LoadData program from my web page

or just make up your own data. The trick is that SAVE keyword on the AXIS command.

Cheers,

David

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155